




(6) Mounting Holes for M5 [#10] Screws. See Detail A for top mounting hole dimensions.



Detail A
Top mounting hole dimensions
Scale 1:1

The dimensions shown are for an IP20 Type Drive that has been converted to a NEMA Type 1 Drive by adding the parts from Fuse Ready NEMA 1 Kit part number UUX002339



C/C: GA80□	INPUT VOLTAGE 3-PHASE (VAC)	WEIGHT Kg (lb)	COOLING FANS
2004□□□	200 TO 240	6.5 (14.3)	0
2006□□□		6.5 (14.3)	0
2008□□□		6.5 (14.3)	0
2010□□□		6.5 (14.3)	0
2012□□□		6.5 (14.3)	0
4002□□□	380 TO 480	6.4 (14.1)	0
4004□□□		6.4 (14.1)	0
4005□□□		6.4 (14.1)	0


□ denotes A-Z





 UNITS MM [IN] SCALE 1:6	DRWN. J. MATTAS 8-28-25	TITLE
	CHKD. J. PIOTROWSKI 8-28-25	GA800 DIMENSION DRAWING
	TECH. L. UDDIN 8-28-25	FRAME SIZE 1
	APRV. M. BAUMGARDNER 8-29-25	FUSE READY NEMA TYPE 1 ENCLOSURE

SIZE A	PAGE 1 OF 3	REV 0
DWG.NO. DD.GA80.FR1.N1.F		


Base Point of Terminal Board
Terminal Details (Scale 1:3)
Refer to DD.GA80.TERMBOARD drawing for terminal board details



Detail A - Input Terminals (Scale 1:5)



Detail with Type 1 Protective Covers (Kit)



Right Side View

Section A-A


Detail without Type 1 Protective Covers (Kit)

C/C: GA80□	TERMINAL SYMBOL	WIRE RANGE AWG (mm ²)	TERMINAL SCREW	CLAMPING TORQUE N.m. (lb.in.)
2004□□□	R/L1, S/L2, T/L3	14 - 6 (2.5 - 16)	M6	4.4 (39)
2006□□□	U/T1, V/T2, W/T3	14 - 6 (2.5 - 16)	M4	1.5 - 1.7 (13.5 - 15)
2008□□□	-, +1, +2	14 - 10 (2.5 - 4)	M5	2.3 - 2.5 (19.8 - 22)
2010□□□	B1, B2	14 - 6 (2.5 - 16)	M4	1.5 - 1.7 (13.5 - 15)
2012□□□	⊕	14 - 8 (2.5 - 10)	M4	1.2 - 1.5 (10.6 - 13.3)
4002□□□				
4004□□□				
4005□□□				

□ Denotes A-Z

Note: Refer to applicable codes and standards for proper wire type and size.

YASKAWA




DRWN. J. MATTAS 8-28-25
 CHKD. J. PIOTROWSKI 8-28-25
 TECH. L. UDDIN 8-28-25
 APRV. M. BAUMGARDNER 8-29-25

TITLE
 GA800 DIMENSION DRAWING
 FRAME SIZE 1
 FUSE READY
 NEMA TYPE 1 ENCLOSURE

SIZE A PAGE 2 OF 3
 REV 0
 DD.GA80.FR1.N1.F

Minimum Installation Clearances



Note:
For alternate mounting configurations, consult manual.

YASKAWA



UNITS MM [IN]

SCALE 1:6

DRWN.	J. MATTAS	8-28-25
CHKD.	J. PIOTROWSKI	8-28-25
TECH.	L. UDDIN	8-28-25
APRV.	M. BAUMGARDNER	8-29-25

TITLE
GA800 DIMENSION DRAWING
FRAME SIZE 1
FUSE READY
NEMA TYPE 1 ENCLOSURE

SIZE	A	PAGE	3 OF 3
DWG.NO.	DD.GA80.FR1.N1.F		

REV
0