



Product Service

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Holder of Certificate: **Yaskawa Electric Corp.**
Tokyo Plant
480 Kamifujisawa, Iruma
Saitama 358-8555
JAPAN

Product: **AC Servo Systems**
AC Servo Amplifier (SERVOPACK)

This EU-Type Examination Certificate is issued according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with such aspects of the requirements of the EMC directive as specified by the manufacturer or his authorized representative in the European Community and applies only to the sample and/or its technical documentation submitted for testing and certification. This Type Examination does not contain any statements pertaining to the EMC protection requirements governed by other laws which serve to implement EU Directives other than the aforementioned Directive 2014/30/EU.

For details see: www.tuvsud.com/ps-cert

Evaluation Report No.: 735002934

Date, 2023-09-11

(Yury Oleinik)

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Model(s): **SGDV series**

Models

Standard: (Capacitance 0.05kW-22.0kW)			
Analogue/Pulse I/F		MECHATROLINK I/F	
Type of rotary motor	Type of linear motor	Type of rotary motor	Type of linear motor
SGDV-R70A01A *****	SGDV-R70A05A *****	SGDV-R70A11A *****	SGDV-R70A15A *****
SGDV-R70A01B *****	SGDV-R70A05B *****	SGDV-R70A11B *****	SGDV-R70A15B *****
SGDV-R90A01A *****	SGDV-R90A05A *****	SGDV-R90A11A *****	SGDV-R90A15A *****
SGDV-R90A01B *****	SGDV-R90A05B *****	SGDV-R90A11B *****	SGDV-R90A15B *****
SGDV-1R6A01A *****	SGDV-1R6A05A *****	SGDV-1R6A11A *****	SGDV-1R6A15A *****
SGDV-1R6A01B *****	SGDV-1R6A05B *****	SGDV-1R6A11B *****	SGDV-1R6A15B *****
SGDV-2R8A01A *****	SGDV-2R8A05A *****	SGDV-2R8A11A *****	SGDV-2R8A15A *****
SGDV-2R8A01B *****	SGDV-2R8A05B *****	SGDV-2R8A11B *****	SGDV-2R8A15B *****
SGDV-3R8A01A *****	SGDV-3R8A05A *****	SGDV-3R8A11A *****	SGDV-3R8A15A *****
SGDV-5R5A01A *****	SGDV-5R5A05A *****	SGDV-5R5A11A *****	SGDV-5R5A15A *****
SGDV-7R6A01A *****	SGDV-7R6A05A *****	SGDV-7R6A11A *****	SGDV-7R6A15A *****
SGDV-120A01A *****	SGDV-120A05A *****	SGDV-120A11A *****	SGDV-120A15A *****
SGDV-180A01A *****	SGDV-180A05A *****	SGDV-180A11A *****	SGDV-180A15A *****
SGDV-200A01A *****	SGDV-200A05A *****	SGDV-200A11A *****	SGDV-200A15A *****
SGDV-330A01A *****	SGDV-330A05A *****	SGDV-330A11A *****	SGDV-330A15A *****
SGDV-470A01A *****	SGDV-470A05A *****	SGDV-470A11A *****	SGDV-470A15A *****
SGDV-550A01A *****	SGDV-550A05A *****	SGDV-550A11A *****	SGDV-550A15A *****
SGDV-590A01A *****	SGDV-590A05A *****	SGDV-590A11A *****	SGDV-590A15A *****
SGDV-780A01A *****	SGDV-780A05A *****	SGDV-780A11A *****	SGDV-780A15A *****
SGDV-1R9D01A *****	SGDV-1R9D05A *****	SGDV-1R9D11A *****	SGDV-1R9D15A *****
SGDV-3R5D01A *****	SGDV-3R5D05A *****	SGDV-3R5D11A *****	SGDV-3R5D15A *****
SGDV-5R4D01A *****	SGDV-5R4D05A *****	SGDV-5R4D11A *****	SGDV-5R4D15A *****
SGDV-8R4D01A *****	SGDV-8R4D05A *****	SGDV-8R4D11A *****	SGDV-8R4D15A *****
SGDV-120D01A *****	SGDV-120D05A *****	SGDV-120D11A *****	SGDV-120D15A *****
SGDV-170D01A *****	SGDV-170D05A *****	SGDV-170D11A *****	SGDV-170D15A *****
SGDV-210D01A *****	SGDV-210D05A *****	SGDV-210D11A *****	SGDV-210D15A *****
SGDV-260D01A *****	SGDV-260D05A *****	SGDV-260D11A *****	SGDV-260D15A *****
SGDV-280D01A *****	SGDV-280D05A *****	SGDV-280D11A *****	SGDV-280D15A *****
SGDV-370D01A *****	SGDV-370D05A *****	SGDV-370D11A *****	SGDV-370D15A *****
SGDV-450D01A *****	SGDV-450D05A *****	SGDV-450D11A *****	SGDV-450D15A *****
SGDV-R70F01A *****	SGDV-R70F05A *****	SGDV-R70F11A *****	SGDV-R70F15A *****
SGDV-R90F01A *****	SGDV-R90F05A *****	SGDV-R90F11A *****	SGDV-R90F15A *****
SGDV-2R1F01A *****	SGDV-2R1F05A *****	SGDV-2R1F11A *****	SGDV-2R1F15A *****
SGDV-2R8F01A *****	SGDV-2R8F05A *****	SGDV-2R8F11A *****	SGDV-2R8F15A *****
SGDV-R70B01A *****	SGDV-R70B05A *****	SGDV-R70B11A *****	SGDV-R70B15A *****
SGDV-1R0B01A *****	SGDV-1R0B05A *****	SGDV-1R0B11A *****	SGDV-1R0B15A *****

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Standard: (Capacitance 0.05kW-22.0kW)			
Command-Option I/F		MECHATROLINK-III I/F	
Type of rotary motor	Type of linear motor	Type of rotary motor	Type of linear motor
SGDV-R70AE1A *****	SGDV-R70AE5A *****	SGDV-R70A21A *****	SGDV-R70A25A *****
SGDV-R90AE1A *****	SGDV-R90AE5A *****	SGDV-R70A21B *****	SGDV-R70A25B *****
SGDV-1R6AE1A *****	SGDV-1R6AE5A *****	SGDV-R90A21A *****	SGDV-R90A25A *****
SGDV-2R8AE1A *****	SGDV-2R8AE5A *****	SGDV-R90A21B *****	SGDV-R90A25B *****
SGDV-3R8AE1A *****	SGDV-3R8AE5A *****	SGDV-1R6A21A *****	SGDV-1R6A25A *****
SGDV-5R5AE1A *****	SGDV-5R5AE5A *****	SGDV-1R6A21B *****	SGDV-1R6A25B *****
SGDV-7R6AE1A *****	SGDV-7R6AE5A *****	SGDV-2R8A21A *****	SGDV-2R8A25A *****
SGDV-120AE1A *****	SGDV-120AE5A *****	SGDV-2R8A21B *****	SGDV-2R8A25B *****
SGDV-180AE1A *****	SGDV-180AE5A *****	SGDV-3R8A21A *****	SGDV-3R8A25A *****
SGDV-200AE1A *****	SGDV-200AE5A *****	SGDV-5R5A21A *****	SGDV-5R5A25A *****
SGDV-330AE1A *****	SGDV-330AE5A *****	SGDV-7R6A21A *****	SGDV-7R6A25A *****
SGDV-470AE1A *****	SGDV-470AE5A *****	SGDV-120A21A *****	SGDV-120A25A *****
SGDV-550AE1A *****	SGDV-550AE5A *****	SGDV-180A21A *****	SGDV-180A25A *****
SGDV-590AE1A *****	SGDV-590AE5A *****	SGDV-200A21A *****	SGDV-200A25A *****
SGDV-780AE1A *****	SGDV-780AE5A *****	SGDV-330A21A *****	SGDV-330A25A *****
SGDV-1R9DE1A *****	SGDV-1R9DE5A *****	SGDV-470A21A *****	SGDV-470A25A *****
SGDV-3R5DE1A *****	SGDV-3R5DE5A *****	SGDV-550A21A *****	SGDV-550A25A *****
SGDV-5R4DE1A *****	SGDV-5R4DE5A *****	SGDV-590A21A *****	SGDV-590A25A *****
SGDV-8R4DE1A *****	SGDV-8R4DE5A *****	SGDV-780A21A *****	SGDV-780A25A *****
SGDV-120DE1A *****	SGDV-120DE5A *****	SGDV-1R9D21A *****	SGDV-1R9D25A *****
SGDV-170DE1A *****	SGDV-170DE5A *****	SGDV-3R5D21A *****	SGDV-3R5D25A *****
SGDV-210DE1A *****	SGDV-210DE5A *****	SGDV-5R4D21A *****	SGDV-5R4D25A *****
SGDV-260DE1A *****	SGDV-260DE5A *****	SGDV-8R4D21A *****	SGDV-8R4D25A *****
SGDV-280DE1A *****	SGDV-280DE5A *****	SGDV-120D21A *****	SGDV-120D25A *****
SGDV-370DE1A *****	SGDV-370DE5A *****	SGDV-170D21A *****	SGDV-170D25A *****
SGDV-450DE1A *****	SGDV-450DE5A *****	SGDV-210D21A *****	SGDV-210D25A *****
SGDV-R70FE1A *****	SGDV-R70FE5A *****	SGDV-260D21A *****	SGDV-260D25A *****
SGDV-R90FE1A *****	SGDV-R90FE5A *****	SGDV-280D21A *****	SGDV-280D25A *****
SGDV-2R1FE1A *****	SGDV-2R1FE5A *****	SGDV-370D21A *****	SGDV-370D25A *****
SGDV-2R8FE1A *****	SGDV-2R8FE5A *****	SGDV-450D21A *****	SGDV-450D25A *****
SGDV-R70BE1A *****	SGDV-R70BE5A *****	SGDV-R70F21A *****	SGDV-R70F25A *****
SGDV-1R0BE1A *****	SGDV-1R0BE5A *****	SGDV-R90F21A *****	SGDV-R90F25A *****
		SGDV-2R1F21A *****	SGDV-2R1F25A *****
		SGDV-2R8F21A *****	SGDV-2R8F25A *****
		SGDV-R70B21A *****	SGDV-R70B25A *****
		SGDV-1R0B21A *****	SGDV-1R0B25A *****

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Standard: (Capacitance 22.0kW-55.0kW)		
Analogue/Pulse I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-121H01A *****	SGDV-121H05A *****	SGDV-COA2BAA *****
SGDV-161H01A *****	SGDV-161H05A *****	SGDV-COA3GAA *****
SGDV-201H01A *****	SGDV-201H05A *****	SGDV-COA3GAA *****
SGDV-750J01A *****	SGDV-750J05A *****	SGDV-COA3ZDA *****
SGDV-101J01A *****	SGDV-101J05A *****	SGDV-COA5EDA *****
SGDV-131J01A *****	SGDV-131J05A *****	SGDV-COA5EDA *****
MECHATROLINK I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-121H11A *****	SGDV-121H15A *****	SGDV-COA2BAA *****
SGDV-161H11A *****	SGDV-161H15A *****	SGDV-COA3GAA *****
SGDV-201H11A *****	SGDV-201H15A *****	SGDV-COA3GAA *****
SGDV-750J11A *****	SGDV-750J15A *****	SGDV-COA3ZDA *****
SGDV-101J11A *****	SGDV-101J15A *****	SGDV-COA5EDA *****
SGDV-131J11A *****	SGDV-131J15A *****	SGDV-COA5EDA *****
Command-Option I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-121HE1A *****	SGDV-121HE5A *****	SGDV-COA2BAA *****
SGDV-161HE1A *****	SGDV-161HE5A *****	SGDV-COA3GAA *****
SGDV-201HE1A *****	SGDV-201HE5A *****	SGDV-COA3GAA *****
SGDV-750JE1A *****	SGDV-750JE5A *****	SGDV-COA3ZDA *****
SGDV-101JE1A *****	SGDV-101JE5A *****	SGDV-COA5EDA *****
SGDV-131JE1A *****	SGDV-131JE5A *****	SGDV-COA5EDA *****
MECHATROLINK-III I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-121H21A *****	SGDV-121H25A *****	SGDV-COA2BAA *****
SGDV-161H21A *****	SGDV-161H25A *****	SGDV-COA3GAA *****
SGDV-201H21A *****	SGDV-201H25A *****	SGDV-COA3GAA *****
SGDV-750J21A *****	SGDV-750J25A *****	SGDV-COA3ZDA *****
SGDV-101J21A *****	SGDV-101J25A *****	SGDV-COA5EDA *****
SGDV-131J21A *****	SGDV-131J25A *****	SGDV-COA5EDA *****

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Standard: (Capacitance 37.5kW-55.0kW)		
Multi Windings Drive type		
Type of rotary motor	Combinational Converter)/(Combinational Multi Windings Control Unit)	
SGDV-101JF1A *****	SGDV-COA5EDA ***** / JUSP-MD3D*1A*****	
SGDV-131JF1A *****	SGDV-COA5EDA ***** / JUSP-MD4D*1A*****	
SGDV-131JF1A *****	SGDV-COA5EDA ***** / JUSP-MD5D*1A*****	
Standard: (Capacitance 22.0kW-55.0kW)		
MECHATROLINK-III (RJ-45) I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-450D31A *****	SGDV-450D35A *****	
SGDV-750J31A *****	SGDV-750J35A *****	SGDV-COA3ZDA *****
SGDV-101J31A *****	SGDV-101J35A *****	SGDV-COA5EDA *****
SGDV-131J31A *****	SGDV-131J35A *****	SGDV-COA5EDA *****

-OY: (Capacitance 0.05kW-15.0kW)			
Analogue/Pulse I/F		MECHATROLINK-II I/F	
Type of rotary motor	Type of linear motor	Type of rotary motor	Type of linear motor
SGDV-A5A01A-OY	SGDV-A5A05A-OY	SGDV-A5A11A-OY	SGDV-A5A15A-OY
SGDV-01A01A-OY	SGDV-01A05A-OY	SGDV-01A11A-OY	SGDV-01A15A-OY
SGDV-02A01A-OY	SGDV-02A05A-OY	SGDV-02A11A-OY	SGDV-02A15A-OY
SGDV-04A01A-OY	SGDV-04A05A-OY	SGDV-04A11A-OY	SGDV-04A15A-OY
SGDV-08A01A-OY	SGDV-08A05A-OY	SGDV-08A11A-OY	SGDV-08A15A-OY
GDV-15A01A-OY008000	SGDV-15A05A-OY008000	SGDV-15A11A-OY008000	SGDV-15A15A-OY008000
SGDV-05D01A-OY	SGDV-05D05A-OY	SGDV-05D11A-OY	SGDV-05D15A-OY
SGDV-10D01A-OY	SGDV-10D05A-OY	SGDV-10D11A-OY	SGDV-10D15A-OY
SGDV-15D01A-OY	SGDV-15D05A-OY	SGDV-15D11A-OY	SGDV-15D15A-OY
SGDV-20D01A-OY	SGDV-20D05A-OY	SGDV-20D11A-OY	SGDV-20D15A-OY
SGDV-30D01A-OY	SGDV-30D05A-OY	SGDV-30D11A-OY	SGDV-30D15A-OY
SGDV-50D01A-OY	SGDV-50D05A-OY	SGDV-50D11A-OY	SGDV-50D15A-OY
SGDV-60D01A-OY	SGDV-60D05A-OY	SGDV-60D11A-OY	SGDV-60D15A-OY
SGDV-75D01A-OY	SGDV-75D05A-OY	SGDV-75D11A-OY	SGDV-75D15A-OY
SGDV-1AD01A-OY	SGDV-1AD05A-OY	SGDV-1AD11A-OY	SGDV-1AD15A-OY
SGDV-1ED01A-OY	SGDV-1ED05A-OY	SGDV-1ED11A-OY	SGDV-1ED15A-OY

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICAT

Y specification: (Capacitance 0.05kW-22.0kW)			
Analogue/Pulse I/F		MECHATROLINK I/F	
Type of rotary motor	Type of linear motor	Type of rotary motor	Type of linear motor
SGDV-R70A01A Y*****	SGDV-R70A05A Y*****	SGDV-R70A11A Y*****	SGDV-R70A15A Y*****
SGDV-R70A01B Y*****	SGDV-R70A05B Y*****	SGDV-R70A11B Y*****	SGDV-R70A15B Y*****
SGDV-R90A01A Y*****	SGDV-R90A05A Y*****	SGDV-R90A11A Y*****	SGDV-R90A15A Y*****
SGDV-R90A01B Y*****	SGDV-R90A05B Y*****	SGDV-R90A11B Y*****	SGDV-R90A15B Y*****
SGDV-1R6A01A Y*****	SGDV-1R6A05A Y*****	SGDV-1R6A11A Y*****	SGDV-1R6A15A Y*****
SGDV-1R6A01B Y*****	SGDV-1R6A05B Y*****	SGDV-1R6A11B Y*****	SGDV-1R6A15B Y*****
SGDV-2R8A01A Y*****	SGDV-2R8A05A Y*****	SGDV-2R8A11A Y*****	SGDV-2R8A15A Y*****
SGDV-2R8A01B Y*****	SGDV-2R8A05B Y*****	SGDV-2R8A11B Y*****	SGDV-2R8A15B Y*****
SGDV-3R8A01A Y*****	SGDV-3R8A05A Y*****	SGDV-3R8A11A Y*****	SGDV-3R8A15A Y*****
SGDV-5R5A01A Y*****	SGDV-5R5A05A Y*****	SGDV-5R5A11A Y*****	SGDV-5R5A15A Y*****
SGDV-7R6A01A Y*****	SGDV-7R6A05A Y*****	SGDV-7R6A11A Y*****	SGDV-7R6A15A Y*****
SGDV-120A01A Y*****	SGDV-120A05A Y*****	SGDV-120A11A Y*****	SGDV-120A15A Y*****
SGDV-180A01A Y*****	SGDV-180A05A Y*****	SGDV-180A11A Y*****	SGDV-180A15A Y*****
SGDV-200A01A Y*****	SGDV-200A05A Y*****	SGDV-200A11A Y*****	SGDV-200A15A Y*****
SGDV-330A01A Y*****	SGDV-330A05A Y*****	SGDV-330A11A Y*****	SGDV-330A15A Y*****
SGDV-470A01A Y*****	SGDV-470A05A Y*****	SGDV-470A11A Y*****	SGDV-470A15A Y*****
SGDV-550A01A Y*****	SGDV-550A05A Y*****	SGDV-550A11A Y*****	SGDV-550A15A Y*****
SGDV-590A01A Y*****	SGDV-590A05A Y*****	SGDV-590A11A Y*****	SGDV-590A15A Y*****
SGDV-780A01A Y*****	SGDV-780A05A Y*****	SGDV-780A11A Y*****	SGDV-780A15A Y*****
SGDV-1R9D01A Y*****	SGDV-1R9D05A Y*****	SGDV-1R9D11A Y*****	SGDV-1R9D15A Y*****
SGDV-3R5D01A Y*****	SGDV-3R5D05A Y*****	SGDV-3R5D11A Y*****	SGDV-3R5D15A Y*****
SGDV-5R4D01A Y*****	SGDV-5R4D05A Y*****	SGDV-5R4D11A Y*****	SGDV-5R4D15A Y*****
SGDV-8R4D01A Y*****	SGDV-8R4D05A Y*****	SGDV-8R4D11A Y*****	SGDV-8R4D15A Y*****
SGDV-120D01A Y*****	SGDV-120D05A Y*****	SGDV-120D11A Y*****	SGDV-120D15A Y*****
SGDV-170D01A Y*****	SGDV-170D05A Y*****	SGDV-170D11A Y*****	SGDV-170D15A Y*****
SGDV-210D01A Y*****	SGDV-210D05A Y*****	SGDV-210D11A Y*****	SGDV-210D15A Y*****
SGDV-260D01A Y*****	SGDV-260D05A Y*****	SGDV-260D11A Y*****	SGDV-260D15A Y*****
SGDV-280D01A Y*****	SGDV-280D05A Y*****	SGDV-280D11A Y*****	SGDV-280D15A Y*****
SGDV-370D01A Y*****	SGDV-370D05A Y*****	SGDV-370D11A Y*****	SGDV-370D15A Y*****
SGDV-450D01A Y*****	SGDV-450D05A Y*****	SGDV-450D11A Y*****	SGDV-450D15A Y*****
SGDV-R70F01A Y*****	SGDV-R70F05A Y*****	SGDV-R70F11A Y*****	SGDV-R70F15A Y*****
SGDV-R90F01A Y*****	SGDV-R90F05A Y*****	SGDV-R90F11A Y*****	SGDV-R90F15A Y*****
SGDV-2R1F01A Y*****	SGDV-2R1F05A Y*****	SGDV-2R1F11A Y*****	SGDV-2R1F15A Y*****
SGDV-2R8F01A Y*****	SGDV-2R8F05A Y*****	SGDV-2R8F11A Y*****	SGDV-2R8F15A Y*****
SGDV-R70B01A Y*****	SGDV-R70B05A Y*****	SGDV-R70B11A Y*****	SGDV-R70B15A Y*****
SGDV-1R0B01A Y*****	SGDV-1R0B05A Y*****	SGDV-1R0B11A Y*****	SGDV-1R0B15A Y*****

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

ZERTIFIKAT ◆ CERTIFICATE ◆ 認 證 證 書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆

Y specification: (Capacitance 0.05kW-22.0kW)			
Command-Option I/F		MECHATROLINK-III I/F	
Type of rotary motor	Type of linear motor	Type of rotary motor	Type of linear motor
SGDV-R70AE1A Y*****	SGDV-R70AE5A Y*****	SGDV-R70A21A Y*****	SGDV-R70A25A Y*****
SGDV-R90AE1A Y*****	SGDV-R90AE5A Y*****	SGDV-R70A21B Y*****	SGDV-R70A25B Y*****
SGDV-1R6AE1A Y*****	SGDV-1R6AE5A Y*****	SGDV-R90A21A Y*****	SGDV-R90A25A Y*****
SGDV-2R8AE1A Y*****	SGDV-2R8AE5A Y*****	SGDV-R90A21B Y*****	SGDV-R90A25B Y*****
SGDV-3R8AE1A Y*****	SGDV-3R8AE5A Y*****	SGDV-1R6A21A Y*****	SGDV-1R6A25A Y*****
SGDV-5R5AE1A Y*****	SGDV-5R5AE5A Y*****	SGDV-1R6A21B Y*****	SGDV-1R6A25B Y*****
SGDV-7R6AE1A Y*****	SGDV-7R6AE5A Y*****	SGDV-2R8A21A Y*****	SGDV-2R8A25A Y*****
SGDV-120AE1A Y*****	SGDV-120AE5A Y*****	SGDV-2R8A21B Y*****	SGDV-2R8A25B Y*****
SGDV-180AE1A Y*****	SGDV-180AE5A Y*****	SGDV-3R8A21A Y*****	SGDV-3R8A25A Y*****
SGDV-200AE1A Y*****	SGDV-200AE5A Y*****	SGDV-5R5A21A Y*****	SGDV-5R5A25A Y*****
SGDV-330AE1A Y*****	SGDV-330AE5A Y*****	SGDV-7R6A21A Y*****	SGDV-7R6A25A Y*****
SGDV-470AE1A Y*****	SGDV-470AE5A Y*****	SGDV-120A21A Y*****	SGDV-120A25A Y*****
SGDV-550AE1A Y*****	SGDV-550AE5A Y*****	SGDV-180A21A Y*****	SGDV-180A25A Y*****
SGDV-590AE1A Y*****	SGDV-590AE5A Y*****	SGDV-200A21A Y*****	SGDV-200A25A Y*****
SGDV-780AE1A Y*****	SGDV-780AE5A Y*****	SGDV-330A21A Y*****	SGDV-330A25A Y*****
SGDV-1R9DE1A Y*****	SGDV-1R9DE5A Y*****	SGDV-470A21A Y*****	SGDV-470A25A Y*****
SGDV-3R5DE1A Y*****	SGDV-3R5DE5A Y*****	SGDV-550A21A Y*****	SGDV-550A25A Y*****
SGDV-5R4DE1A Y*****	SGDV-5R4DE5A Y*****	SGDV-590A21A Y*****	SGDV-590A25A Y*****
SGDV-8R4DE1A Y*****	SGDV-8R4DE5A Y*****	SGDV-780A21A Y*****	SGDV-780A25A Y*****
SGDV-120DE1A Y*****	SGDV-120DE5A Y*****	SGDV-1R9D21A Y*****	SGDV-1R9D25A Y*****
SGDV-170DE1A Y*****	SGDV-170DE5A Y*****	SGDV-3R5D21A Y*****	SGDV-3R5D25A Y*****
SGDV-210DE1A Y*****	SGDV-210DE5A Y*****	SGDV-5R4D21A Y*****	SGDV-5R4D25A Y*****
SGDV-260DE1A Y*****	SGDV-260DE5A Y*****	SGDV-8R4D21A Y*****	SGDV-8R4D25A Y*****
SGDV-280DE1A Y*****	SGDV-280DE5A Y*****	SGDV-120D21A Y*****	SGDV-120D25A Y*****
SGDV-370DE1A Y*****	SGDV-370DE5A Y*****	SGDV-170D21A Y*****	SGDV-170D25A Y*****
SGDV-450DE1A Y*****	SGDV-450DE5A Y*****	SGDV-210D21A Y*****	SGDV-210D25A Y*****
SGDV-R70FE1A Y*****	SGDV-R70FE5A Y*****	SGDV-260D21A Y*****	SGDV-260D25A Y*****
SGDV-R90FE1A Y*****	SGDV-R90FE5A Y*****	SGDV-280D21A Y*****	SGDV-280D25A Y*****
SGDV-2R1FE1A Y*****	SGDV-2R1FE5A Y*****	SGDV-370D21A Y*****	SGDV-370D25A Y*****
SGDV-2R8FE1A Y*****	SGDV-2R8FE5A Y*****	SGDV-450D21A Y*****	SGDV-450D25A Y*****
SGDV-R70BE1A Y*****	SGDV-R70BE5A Y*****	SGDV-R70F21A Y*****	SGDV-R70F25A Y*****
SGDV-1R0BE1A Y*****	SGDV-1R0BE5A Y*****	SGDV-R90F21A Y*****	SGDV-R90F25A Y*****
		SGDV-2R1F21A Y*****	SGDV-2R1F25A Y*****
		SGDV-2R8F21A Y*****	SGDV-2R8F25A Y*****
		SGDV-R70B21A Y*****	SGDV-R70B25A Y*****
		SGDV-1R0B21A Y*****	SGDV-1R0B25A Y*****

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Y specification: (Capacitance 22.0kW-55.0kW)		
Analogue/Pulse I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-121H01A Y*****	SGDV-121H05A Y*****	SGDV-COA2BAA *****
SGDV-161H01A Y*****	SGDV-161H05A Y*****	SGDV-COA3GAA *****
SGDV-201H01A Y*****	SGDV-201H05A Y*****	SGDV-COA3GAA *****
SGDV-750J01A Y*****	SGDV-750J05A Y*****	SGDV-COA3ZDA *****
SGDV-101J01A Y*****	SGDV-101J05A Y*****	SGDV-COA5EDA *****
SGDV-131J01A Y*****	SGDV-131J05A Y*****	SGDV-COA5EDA *****
MECHATROLINK I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-121H11A Y*****	SGDV-121H15A Y*****	SGDV-COA2BAA *****
SGDV-161H11A Y*****	SGDV-161H15A Y*****	SGDV-COA3GAA *****
SGDV-201H11A Y*****	SGDV-201H15A Y*****	SGDV-COA3GAA *****
SGDV-750J11A Y*****	SGDV-750J15A Y*****	SGDV-COA3ZDA *****
SGDV-101J11A Y*****	SGDV-101J15A Y*****	SGDV-COA5EDA *****
SGDV-131J11A Y*****	SGDV-131J15A Y*****	SGDV-COA5EDA *****
Command-Option I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-121HE1A Y*****	SGDV-121HE5A Y*****	SGDV-COA2BAA *****
SGDV-161HE1A Y*****	SGDV-161HE5A Y*****	SGDV-COA3GAA *****
SGDV-201HE1A Y*****	SGDV-201HE5A Y*****	SGDV-COA3GAA *****
SGDV-750JE1A Y*****	SGDV-750JE5A Y*****	SGDV-COA3ZDA *****
SGDV-101JE1A Y*****	SGDV-101JE5A Y*****	SGDV-COA5EDA *****
SGDV-131JE1A Y*****	SGDV-131JE5A Y*****	SGDV-COA5EDA *****
MECHATROLINK-III I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-121H21A Y*****	SGDV-121H25A Y*****	SGDV-COA2BAA *****
SGDV-161H21A Y*****	SGDV-161H25A Y*****	SGDV-COA3GAA *****
SGDV-201H21A Y*****	SGDV-201H25A Y*****	SGDV-COA3GAA *****
SGDV-750J21A Y*****	SGDV-750J25A Y*****	SGDV-COA3ZDA *****
SGDV-101J21A Y*****	SGDV-101J25A Y*****	SGDV-COA5EDA *****
SGDV-131J21A Y*****	SGDV-131J25A Y*****	SGDV-COA5EDA *****



EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Y specification: (Capacitance 37.5kW-55.0kW)		
Multi Windings Drive type		
Type of rotary motor	Combinational Converter)/(Combinational Multi Windings Control Unit)	
SGDV-101JF1A Y*****	SGDV-COA5EDA ***** / JUSP-MD3D*1A*****	
SGDV-131JF1A Y*****	SGDV-COA5EDA ***** / JUSP-MD4D*1A*****	
SGDV-131JF1A Y*****	SGDV-COA5EDA ***** / JUSP-MD5D*1A*****	
Y specification: (Capacitance 22.0kW-55.0kW)		
MECHATROLINK-III (RJ-45) I/F		
Type of rotary motor	Type of linear motor	Combinational CONVERTER
SGDV-450D31A Y*****	SGDV-450D35A Y*****	
SGDV-750J31A Y*****	SGDV-750J35A Y*****	SGDV-COA3ZDA *****
SGDV-101J31A Y*****	SGDV-101J35A Y*****	SGDV-COA5EDA *****
SGDV-131J31A Y*****	SGDV-131J35A Y*****	SGDV-COA5EDA *****

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICAT

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Σ-V-EX series: (Capacitance 0.05kW-55.0kW)			
Analogue/Pulse I/F			
Type of rotary motor	Type of linear motor	Type of rotary motor	Type of linear motor
SGDV-R70A01A ***EX***	SGDV-R70A05A ***EX***	SGDV-750J01A ***EX***	SGDV-750J05A ***EX***
SGDV-R70A01B ***EX***	SGDV-R70A05B ***EX***	SGDV-101J01A ***EX***	SGDV-101J05A ***EX***
SGDV-R90A01A ***EX***	SGDV-R90A05A ***EX***	SGDV-131J01A ***EX***	SGDV-131J05A ***EX***
SGDV-R90A01B ***EX***	SGDV-R90A05B ***EX***	SGDV-R70F01A ***EX***	SGDV-R70F05A ***EX***
SGDV-1R6A01A ***EX***	SGDV-1R6A05A ***EX***	SGDV-R90F01A ***EX***	SGDV-R90F05A ***EX***
SGDV-1R6A01B ***EX***	SGDV-1R6A05B ***EX***	SGDV-2R1F01A ***EX***	SGDV-2R1F05A ***EX***
SGDV-2R8A01A ***EX***	SGDV-2R8A05A ***EX***	SGDV-2R8F01A ***EX***	SGDV-2R8F05A ***EX***
SGDV-2R8A01B ***EX***	SGDV-2R8A05B ***EX***	SGDV-R70B01A ***EX***	SGDV-R70B05A ***EX***
SGDV-3R8A01A ***EX***	SGDV-3R8A05A ***EX***	SGDV-1R0B01A ***EX***	SGDV-1R0B05A ***EX***
SGDV-5R5A01A ***EX***	SGDV-5R5A05A ***EX***		
SGDV-7R6A01A ***EX***	SGDV-7R6A05A ***EX***		
SGDV-120A01A ***EX***	SGDV-120A05A ***EX***		
SGDV-180A01A ***EX***	SGDV-180A05A ***EX***		
SGDV-200A01A ***EX***	SGDV-200A05A ***EX***		
SGDV-330A01A ***EX***	SGDV-330A05A ***EX***		
SGDV-470A01A ***EX***	SGDV-470A05A ***EX***		
SGDV-550A01A ***EX***	SGDV-550A05A ***EX***		
SGDV-590A01A ***EX***	SGDV-590A05A ***EX***		
SGDV-780A01A ***EX***	SGDV-780A05A ***EX***		
SGDV-121H01A ***EX***	SGDV-121H05A ***EX***		
SGDV-161H01A ***EX***	SGDV-161H05A ***EX***		
SGDV-201H01A ***EX***	SGDV-201H05A ***EX***		
SGDV-1R9D01A ***EX***	SGDV-1R9D05A ***EX***		
SGDV-3R5D01A ***EX***	SGDV-3R5D05A ***EX***		
SGDV-5R4D01A ***EX***	SGDV-5R4D05A ***EX***		
SGDV-8R4D01A ***EX***	SGDV-8R4D05A ***EX***		
SGDV-120D01A ***EX***	SGDV-120D05A ***EX***		
SGDV-170D01A ***EX***	SGDV-170D05A ***EX***		
SGDV-210D01A ***EX***	SGDV-210D05A ***EX***		
SGDV-260D01A ***EX***	SGDV-260D05A ***EX***		
SGDV-280D01A ***EX***	SGDV-280D05A ***EX***		
SGDV-370D01A ***EX***	SGDV-370D05A ***EX***		
SGDV-450D01A ***EX***	SGDV-450D05A ***EX***		

ZERTIFIKAT ◆ CERTIFICATE ◆ 認 證 證 書 ◆ CERTIFICADO ◆ CERTIFICAT

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

ZERTIFIKAT ◆ CERTIFICATE ◆ 認 證 證 書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆

Σ-V-EX series: (Capacitance 0.05kW-55.0kW)			
MECHATROLINK I/F			
Type of rotary motor	Type of rotary motor	Type of rotary motor	Type of linear motor
SGDV-R70A11A ***EX***	SGDV-R70A11A ***EX***	SGDV-750J11A ***EX***	SGDV-750J11A ***EX***
SGDV-R70A11B ***EX***	SGDV-R70A11B ***EX***	SGDV-101J11A ***EX***	SGDV-101J11A ***EX***
SGDV-R90A11A ***EX***	SGDV-R90A11A ***EX***	SGDV-131J11A ***EX***	SGDV-131J11A ***EX***
SGDV-R90A11B ***EX***	SGDV-R90A11B ***EX***	SGDV-R70F11A ***EX***	SGDV-R70F11A ***EX***
SGDV-1R6A11A ***EX***	SGDV-1R6A11A ***EX***	SGDV-R90F11A ***EX***	SGDV-R90F11A ***EX***
SGDV-1R6A11B ***EX***	SGDV-1R6A11B ***EX***	SGDV-2R1F11A ***EX***	SGDV-2R1F11A ***EX***
SGDV-2R8A11A ***EX***	SGDV-2R8A11A ***EX***	SGDV-2R8F11A ***EX***	SGDV-2R8F11A ***EX***
SGDV-2R8A11B ***EX***	SGDV-2R8A11B ***EX***	SGDV-R70B11A ***EX***	SGDV-R70B11A ***EX***
SGDV-3R8A11A ***EX***	SGDV-3R8A11A ***EX***	SGDV-1R0B11A ***EX***	SGDV-1R0B11A ***EX***
SGDV-5R5A11A ***EX***	SGDV-5R5A11A ***EX***		
SGDV-7R6A11A ***EX***	SGDV-7R6A11A ***EX***		
SGDV-120A11A ***EX***	SGDV-120A11A ***EX***		
SGDV-180A11A ***EX***	SGDV-180A11A ***EX***		
SGDV-200A11A ***EX***	SGDV-200A11A ***EX***		
SGDV-330A11A ***EX***	SGDV-330A11A ***EX***		
SGDV-470A11A ***EX***	SGDV-470A11A ***EX***		
SGDV-550A11A ***EX***	SGDV-550A11A ***EX***		
SGDV-590A11A ***EX***	SGDV-590A11A ***EX***		
SGDV-780A11A ***EX***	SGDV-780A11A ***EX***		
SGDV-121H11A ***EX***	SGDV-121H11A ***EX***		
SGDV-161H11A ***EX***	SGDV-161H11A ***EX***		
SGDV-201H11A ***EX***	SGDV-201H11A ***EX***		
SGDV-1R9D11A ***EX***	SGDV-1R9D11A ***EX***		
SGDV-3R5D11A ***EX***	SGDV-3R5D11A ***EX***		
SGDV-5R4D11A ***EX***	SGDV-5R4D11A ***EX***		
SGDV-8R4D11A ***EX***	SGDV-8R4D11A ***EX***		
SGDV-120D11A ***EX***	SGDV-120D11A ***EX***		
SGDV-170D11A ***EX***	SGDV-170D11A ***EX***		
SGDV-210D11A ***EX***	SGDV-210D11A ***EX***		
SGDV-260D11A ***EX***	SGDV-260D11A ***EX***		
SGDV-280D11A ***EX***	SGDV-280D11A ***EX***		
SGDV-370D11A ***EX***	SGDV-370D11A ***EX***		
SGDV-450D11A ***EX***	SGDV-450D11A ***EX***		

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Σ-V-EX series: (Capacitance 0.05kW-55.0kW)			
Command-Option I/F			
Type of rotary motor	Type of linear motor	Type of rotary motor	Type of linear motor
SGDV-R70AE1A ***EX***	SGDV-R70AE5A ***EX***	SGDV-750JE1A ***EX***	SGDV-750JE5A ***EX***
SGDV-R90AE1A ***EX***	SGDV-R90AE5A ***EX***	SGDV-101JE1A ***EX***	SGDV-101JE5A ***EX***
SGDV-1R6AE1A ***EX***	SGDV-1R6AE5A ***EX***	SGDV-131JE1A ***EX***	SGDV-131JE5A ***EX***
SGDV-2R8AE1A ***EX***	SGDV-2R8AE5A ***EX***	SGDV-R70FE1A ***EX***	SGDV-R70FE5A ***EX***
SGDV-3R8AE1A ***EX***	SGDV-3R8AE5A ***EX***	SGDV-R90FE1A ***EX***	SGDV-R90FE5A ***EX***
SGDV-5R5AE1A ***EX***	SGDV-5R5AE5A ***EX***	SGDV-2R1FE1A ***EX***	SGDV-2R1FE5A ***EX***
SGDV-7R6AE1A ***EX***	SGDV-7R6AE5A ***EX***	SGDV-2R8FE1A ***EX***	SGDV-2R8FE5A ***EX***
SGDV-120AE1A ***EX***	SGDV-120AE5A ***EX***	SGDV-R70BE1A ***EX***	SGDV-R70BE5A ***EX***
SGDV-180AE1A ***EX***	SGDV-180AE5A ***EX***	SGDV-1R0BE1A ***EX***	SGDV-1R0BE5A ***EX***
SGDV-200AE1A ***EX***	SGDV-200AE5A ***EX***		
SGDV-330AE1A ***EX***	SGDV-330AE5A ***EX***		
SGDV-470AE1A ***EX***	SGDV-470AE5A ***EX***		
SGDV-550AE1A ***EX***	SGDV-550AE5A ***EX***		
SGDV-590AE1A ***EX***	SGDV-590AE5A ***EX***		
SGDV-780AE1A ***EX***	SGDV-780AE5A ***EX***		
SGDV-121HE1A ***EX***	SGDV-121HE5A ***EX***		
SGDV-161HE1A ***EX***	SGDV-161HE5A ***EX***		
SGDV-201HE1A ***EX***	SGDV-201HE5A ***EX***		
SGDV-1R9DE1A ***EX***	SGDV-1R9DE5A ***EX***		
SGDV-3R5DE1A ***EX***	SGDV-3R5DE5A ***EX***		
SGDV-5R4DE1A ***EX***	SGDV-5R4DE5A ***EX***		
SGDV-8R4DE1A ***EX***	SGDV-8R4DE5A ***EX***		
SGDV-120DE1A ***EX***	SGDV-120DE5A ***EX***		
SGDV-170DE1A ***EX***	SGDV-170DE5A ***EX***		
SGDV-210DE1A ***EX***	SGDV-210DE5A ***EX***		
SGDV-260DE1A ***EX***	SGDV-260DE5A ***EX***		
SGDV-280DE1A ***EX***	SGDV-280DE5A ***EX***		
SGDV-370DE1A ***EX***	SGDV-370DE5A ***EX***		
SGDV-450DE1A ***EX***	SGDV-450DE5A ***EX***		

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

ZERTIFIKAT ◆ CERTIFICATE ◆ 認 證 證 書 ◆ CERTIFICADO ◆ СЕРТИФИКАТ ◆ CERTIFICAT

Σ-V-EX series: (Capacitance 0.05kW-55.0kW)			
MECHATROLINK-III I/F			
Type of rotary motor	Type of rotary motor	Type of rotary motor	Type of rotary motor
SGDV-R70A21A ***EX***	SGDV-R70A21A ***EX***	SGDV-750J21A ***EX***	SGDV-750J21A ***EX***
SGDV-R70A21B ***EX***	SGDV-R70A21B ***EX***	SGDV-101J21A ***EX***	SGDV-101J21A ***EX***
SGDV-R90A21A ***EX***	SGDV-R90A21A ***EX***	SGDV-131J21A ***EX***	SGDV-131J21A ***EX***
SGDV-R90A21B ***EX***	SGDV-R90A21B ***EX***	SGDV-R70F21A ***EX***	SGDV-R70F21A ***EX***
SGDV-1R6A21A ***EX***	SGDV-1R6A21A ***EX***	SGDV-R90F21A ***EX***	SGDV-R90F21A ***EX***
SGDV-1R6A21B ***EX***	SGDV-1R6A21B ***EX***	SGDV-2R1F21A ***EX***	SGDV-2R1F21A ***EX***
SGDV-2R8A21A ***EX***	SGDV-2R8A21A ***EX***	SGDV-2R8F21A ***EX***	SGDV-2R8F21A ***EX***
SGDV-2R8A21B ***EX***	SGDV-2R8A21B ***EX***	SGDV-R70B21A ***EX***	SGDV-R70B21A ***EX***
SGDV-3R8A21A ***EX***	SGDV-3R8A21A ***EX***	SGDV-1R0B21A ***EX***	SGDV-1R0B21A ***EX***
SGDV-5R5A21A ***EX***	SGDV-5R5A21A ***EX***		
SGDV-7R6A21A ***EX***	SGDV-7R6A21A ***EX***		
SGDV-120A21A ***EX***	SGDV-120A21A ***EX***		
SGDV-180A21A ***EX***	SGDV-180A21A ***EX***		
SGDV-200A21A ***EX***	SGDV-200A21A ***EX***		
SGDV-330A21A ***EX***	SGDV-330A21A ***EX***		
SGDV-470A21A ***EX***	SGDV-470A21A ***EX***		
SGDV-550A21A ***EX***	SGDV-550A21A ***EX***		
SGDV-590A21A ***EX***	SGDV-590A21A ***EX***		
SGDV-780A21A ***EX***	SGDV-780A21A ***EX***		
SGDV-121H21A ***EX***	SGDV-121H21A ***EX***		
SGDV-161H21A ***EX***	SGDV-161H21A ***EX***		
SGDV-201H21A ***EX***	SGDV-201H21A ***EX***		
SGDV-1R9D21A ***EX***	SGDV-1R9D21A ***EX***		
SGDV-3R5D21A ***EX***	SGDV-3R5D21A ***EX***		
SGDV-5R4D21A ***EX***	SGDV-5R4D21A ***EX***		
SGDV-8R4D21A ***EX***	SGDV-8R4D21A ***EX***		
SGDV-120D21A ***EX***	SGDV-120D21A ***EX***		
SGDV-170D21A ***EX***	SGDV-170D21A ***EX***		
SGDV-210D21A ***EX***	SGDV-210D21A ***EX***		
SGDV-260D21A ***EX***	SGDV-260D21A ***EX***		
SGDV-280D21A ***EX***	SGDV-280D21A ***EX***		
SGDV-370D21A ***EX***	SGDV-370D21A ***EX***		
SGDV-450D21A ***EX***	SGDV-450D21A ***EX***		



Product Service

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Σ-V-EX series: (Capacitance 37.5kW-55.0kW)		
Multi Windings Drive type		
Type of rotary motor		
SGDV-101JF1A ***EX***		
SGDV-131JF1A ***EX***		
Standard: (Capacitance 22.0kW-55.0kW)		
MECHATROLINK-III (RJ-45) I/F		
Type of rotary motor	Type of linear motor	
SGDV-450D31A ***EX***	SGDV-450D35A ***EX***	
SGDV-750J31A ***EX***	SGDV-750D35A ***EX***	
SGDV-101J31A ***EX***	SGDV-101D35A ***EX***	
SGDV-131J31A ***EX***	SGDV-131D35A ***EX***	

ZERTIFIKAT ◆ CERTIFICATE ◆ 認 證 證 書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICAT



EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Σ-V-FT series: (Capacitance 0.05kW-55.0kW)			
Analogue/Pulse I/F			
Type of rotary motor	Type of linear motor	Type of rotary motor	Type of linear motor
SGDV-R70A01A ***FT***	SGDV-R70A05A ***FT***	SGDV-750J01A ***FT***	SGDV-750J05A ***FT***
SGDV-R70A01B ***FT***	SGDV-R70A05B ***FT***	SGDV-101J01A ***FT***	SGDV-101J05A ***FT***
SGDV-R90A01A ***FT***	SGDV-R90A05A ***FT***	SGDV-131J01A ***FT***	SGDV-131J05A ***FT***
SGDV-R90A01B ***FT***	SGDV-R90A05B ***FT***	SGDV-R70F01A ***FT***	SGDV-R70F05A ***FT***
SGDV-1R6A01A ***FT***	SGDV-1R6A05A ***FT***	SGDV-R90F01A ***FT***	SGDV-R90F05A ***FT***
SGDV-1R6A01B ***FT***	SGDV-1R6A05B ***FT***	SGDV-2R1F01A ***FT***	SGDV-2R1F05A ***FT***
SGDV-2R8A01A ***FT***	SGDV-2R8A05A ***FT***	SGDV-2R8F01A ***FT***	SGDV-2R8F05A ***FT***
SGDV-2R8A01B ***FT***	SGDV-2R8A05B ***FT***	SGDV-R70B01A ***FT***	SGDV-R70B05A ***FT***
SGDV-3R8A01A ***FT***	SGDV-3R8A05A ***FT***	SGDV-1R0B01A ***FT***	SGDV-1R0B05A ***FT***
SGDV-5R5A01A ***FT***	SGDV-5R5A05A ***FT***		
SGDV-7R6A01A ***FT***	SGDV-7R6A05A ***FT***		
SGDV-120A01A ***FT***	SGDV-120A05A ***FT***		
SGDV-180A01A ***FT***	SGDV-180A05A ***FT***		
SGDV-200A01A ***FT***	SGDV-200A05A ***FT***		
SGDV-330A01A ***FT***	SGDV-330A05A ***FT***		
SGDV-470A01A ***FT***	SGDV-470A05A ***FT***		
SGDV-550A01A ***FT***	SGDV-550A05A ***FT***		
SGDV-590A01A ***FT***	SGDV-590A05A ***FT***		
SGDV-780A01A ***FT***	SGDV-780A05A ***FT***		
SGDV-121H01A ***FT***	SGDV-121H05A ***FT***		
SGDV-161H01A ***FT***	SGDV-161H05A ***FT***		
SGDV-201H01A ***FT***	SGDV-201H05A ***FT***		
SGDV-1R9D01A ***FT***	SGDV-1R9D05A ***FT***		
SGDV-3R5D01A ***FT***	SGDV-3R5D05A ***FT***		
SGDV-5R4D01A ***FT***	SGDV-5R4D05A ***FT***		
SGDV-8R4D01A ***FT***	SGDV-8R4D05A ***FT***		
SGDV-120D01A ***FT***	SGDV-120D05A ***FT***		
SGDV-170D01A ***FT***	SGDV-170D05A ***FT***		
SGDV-210D01A ***FT***	SGDV-210D05A ***FT***		
SGDV-260D01A ***FT***	SGDV-260D05A ***FT***		
SGDV-280D01A ***FT***	SGDV-280D05A ***FT***		
SGDV-370D01A ***FT***	SGDV-370D05A ***FT***		
SGDV-450D01A ***FT***	SGDV-450D05A ***FT***		

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Σ-V-FT series: (Capacitance 0.05kW-55.0kW)			
MECHATROLINK I/F			
Type of rotary motor	Type of rotary motor	Type of rotary motor	Type of rotary motor
SGDV-R70A11A ***FT***	SGDV-R70A11A ***FT***	SGDV-750J11A ***FT***	SGDV-750J11A ***FT***
SGDV-R70A11B ***FT***	SGDV-R70A11B ***FT***	SGDV-101J11A ***FT***	SGDV-101J11A ***FT***
SGDV-R90A11A ***FT***	SGDV-R90A11A ***FT***	SGDV-131J11A ***FT***	SGDV-131J11A ***FT***
SGDV-R90A11B ***FT***	SGDV-R90A11B ***FT***	SGDV-R70F11A ***FT***	SGDV-R70F11A ***FT***
SGDV-1R6A11A ***FT***	SGDV-1R6A11A ***FT***	SGDV-R90F11A ***FT***	SGDV-R90F11A ***FT***
SGDV-1R6A11B ***FT***	SGDV-1R6A11B ***FT***	SGDV-2R1F11A ***FT***	SGDV-2R1F11A ***FT***
SGDV-2R8A11A ***FT***	SGDV-2R8A11A ***FT***	SGDV-2R8F11A ***FT***	SGDV-2R8F11A ***FT***
SGDV-2R8A11B ***FT***	SGDV-2R8A11B ***FT***	SGDV-R70B11A ***FT***	SGDV-R70B11A ***FT***
SGDV-3R8A11A ***FT***	SGDV-3R8A11A ***FT***	SGDV-1R0B11A ***FT***	SGDV-1R0B11A ***FT***
SGDV-5R5A11A ***FT***	SGDV-5R5A11A ***FT***		
SGDV-7R6A11A ***FT***	SGDV-7R6A11A ***FT***		
SGDV-120A11A ***FT***	SGDV-120A11A ***FT***		
SGDV-180A11A ***FT***	SGDV-180A11A ***FT***		
SGDV-200A11A ***FT***	SGDV-200A11A ***FT***		
SGDV-330A11A ***FT***	SGDV-330A11A ***FT***		
SGDV-470A11A ***FT***	SGDV-470A11A ***FT***		
SGDV-550A11A ***FT***	SGDV-550A11A ***FT***		
SGDV-590A11A ***FT***	SGDV-590A11A ***FT***		
SGDV-780A11A ***FT***	SGDV-780A11A ***FT***		
SGDV-121H11A ***FT***	SGDV-121H11A ***FT***		
SGDV-161H11A ***FT***	SGDV-161H11A ***FT***		
SGDV-201H11A ***FT***	SGDV-201H11A ***FT***		
SGDV-1R9D11A ***FT***	SGDV-1R9D11A ***FT***		
SGDV-3R5D11A ***FT***	SGDV-3R5D11A ***FT***		
SGDV-5R4D11A ***FT***	SGDV-5R4D11A ***FT***		
SGDV-8R4D11A ***FT***	SGDV-8R4D11A ***FT***		
SGDV-120D11A ***FT***	SGDV-120D11A ***FT***		
SGDV-170D11A ***FT***	SGDV-170D11A ***FT***		
SGDV-210D11A ***FT***	SGDV-210D11A ***FT***		
SGDV-260D11A ***FT***	SGDV-260D11A ***FT***		
SGDV-280D11A ***FT***	SGDV-280D11A ***FT***		
SGDV-370D11A ***FT***	SGDV-370D11A ***FT***		
SGDV-450D11A ***FT***	SGDV-450D11A ***FT***		

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Σ-V-FT series: (Capacitance 0.05kW-55.0kW)			
Command-Option I/F			
Type of rotary motor	Type of linear motor	Type of rotary motor	Type of linear motor
SGDV-R70AE1A ***FT***	SGDV-R70AE5A ***FT***	SGDV-750JE1A ***FT***	SGDV-750JE5A ***FT***
SGDV-R90AE1A ***FT***	SGDV-R90AE5A ***FT***	SGDV-101JE1A ***FT***	SGDV-101JE5A ***FT***
SGDV-1R6AE1A ***FT***	SGDV-1R6AE5A ***FT***	SGDV-131JE1A ***FT***	SGDV-131JE5A ***FT***
SGDV-2R8AE1A ***FT***	SGDV-2R8AE5A ***FT***	SGDV-R70FE1A ***FT***	SGDV-R70FE5A ***FT***
SGDV-3R8AE1A ***FT***	SGDV-3R8AE5A ***FT***	SGDV-R90FE1A ***FT***	SGDV-R90FE5A ***FT***
SGDV-5R5AE1A ***FT***	SGDV-5R5AE5A ***FT***	SGDV-2R1FE1A ***FT***	SGDV-2R1FE5A ***FT***
SGDV-7R6AE1A ***FT***	SGDV-7R6AE5A ***FT***	SGDV-2R8FE1A ***FT***	SGDV-2R8FE5A ***FT***
SGDV-120AE1A ***FT***	SGDV-120AE5A ***FT***	SGDV-R70BE1A ***FT***	SGDV-R70BE5A ***FT***
SGDV-180AE1A ***FT***	SGDV-180AE5A ***FT***	SGDV-1R0BE1A ***FT***	SGDV-1R0BE5A ***FT***
SGDV-200AE1A ***FT***	SGDV-200AE5A ***FT***		
SGDV-330AE1A ***FT***	SGDV-330AE5A ***FT***		
SGDV-470AE1A ***FT***	SGDV-470AE5A ***FT***		
SGDV-550AE1A ***FT***	SGDV-550AE5A ***FT***		
SGDV-590AE1A ***FT***	SGDV-590AE5A ***FT***		
SGDV-780AE1A ***FT***	SGDV-780AE5A ***FT***		
SGDV-121HE1A ***FT***	SGDV-121HE5A ***FT***		
SGDV-161HE1A ***FT***	SGDV-161HE5A ***FT***		
SGDV-201HE1A ***FT***	SGDV-201HE5A ***FT***		
SGDV-1R9DE1A ***FT***	SGDV-1R9DE5A ***FT***		
SGDV-3R5DE1A ***FT***	SGDV-3R5DE5A ***FT***		
SGDV-5R4DE1A ***FT***	SGDV-5R4DE5A ***FT***		
SGDV-8R4DE1A ***FT***	SGDV-8R4DE5A ***FT***		
SGDV-120DE1A ***FT***	SGDV-120DE5A ***FT***		
SGDV-170DE1A ***FT***	SGDV-170DE5A ***FT***		
SGDV-210DE1A ***FT***	SGDV-210DE5A ***FT***		
SGDV-260DE1A ***FT***	SGDV-260DE5A ***FT***		
SGDV-280DE1A ***FT***	SGDV-280DE5A ***FT***		
SGDV-370DE1A ***FT***	SGDV-370DE5A ***FT***		
SGDV-450DE1A ***FT***	SGDV-450DE5A ***FT***		

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

ZERTIFIKAT ◆ CERTIFICATE ◆ 認 證 證 書 ◆ CERTIFICADO ◆ СЕРТИФИКАТ ◆ CERTIFIKAT

Σ-V-FT series: (Capacitance 0.05kW-55.0kW)			
MECHATROLINK-III I/F			
Type of rotary motor	Type of rotary motor	Type of rotary motor	Type of rotary motor
SGDV-R70A21A ***FT***	SGDV-R70A21A ***FT***	SGDV-750J21A ***FT***	SGDV-750J21A ***FT***
SGDV-R70A21B ***FT***	SGDV-R70A21B ***FT***	SGDV-101J21A ***FT***	SGDV-101J21A ***FT***
SGDV-R90A21A ***FT***	SGDV-R90A21A ***FT***	SGDV-131J21A ***FT***	SGDV-131J21A ***FT***
SGDV-R90A21B ***FT***	SGDV-R90A21B ***FT***	SGDV-R70F21A ***FT***	SGDV-R70F21A ***FT***
SGDV-1R6A21A ***FT***	SGDV-1R6A21A ***FT***	SGDV-R90F21A ***FT***	SGDV-R90F21A ***FT***
SGDV-1R6A21B ***FT***	SGDV-1R6A21B ***FT***	SGDV-2R1F21A ***FT***	SGDV-2R1F21A ***FT***
SGDV-2R8A21A ***FT***	SGDV-2R8A21A ***FT***	SGDV-2R8F21A ***FT***	SGDV-2R8F21A ***FT***
SGDV-2R8A21B ***FT***	SGDV-2R8A21B ***FT***	SGDV-R70B21A ***FT***	SGDV-R70B21A ***FT***
SGDV-3R8A21A ***FT***	SGDV-3R8A21A ***FT***	SGDV-1R0B21A ***FT***	SGDV-1R0B21A ***FT***
SGDV-5R5A21A ***FT***	SGDV-5R5A21A ***FT***		
SGDV-7R6A21A ***FT***	SGDV-7R6A21A ***FT***		
SGDV-120A21A ***FT***	SGDV-120A21A ***FT***		
SGDV-180A21A ***FT***	SGDV-180A21A ***FT***		
SGDV-200A21A ***FT***	SGDV-200A21A ***FT***		
SGDV-330A21A ***FT***	SGDV-330A21A ***FT***		
SGDV-470A21A ***FT***	SGDV-470A21A ***FT***		
SGDV-550A21A ***FT***	SGDV-550A21A ***FT***		
SGDV-590A21A ***FT***	SGDV-590A21A ***FT***		
SGDV-780A21A ***FT***	SGDV-780A21A ***FT***		
SGDV-121H21A ***FT***	SGDV-121H21A ***FT***		
SGDV-161H21A ***FT***	SGDV-161H21A ***FT***		
SGDV-201H21A ***FT***	SGDV-201H21A ***FT***		
SGDV-1R9D21A ***FT***	SGDV-1R9D21A ***FT***		
SGDV-3R5D21A ***FT***	SGDV-3R5D21A ***FT***		
SGDV-5R4D21A ***FT***	SGDV-5R4D21A ***FT***		
SGDV-8R4D21A ***FT***	SGDV-8R4D21A ***FT***		
SGDV-120D21A ***FT***	SGDV-120D21A ***FT***		
SGDV-170D21A ***FT***	SGDV-170D21A ***FT***		
SGDV-210D21A ***FT***	SGDV-210D21A ***FT***		
SGDV-260D21A ***FT***	SGDV-260D21A ***FT***		
SGDV-280D21A ***FT***	SGDV-280D21A ***FT***		
SGDV-370D21A ***FT***	SGDV-370D21A ***FT***		
SGDV-450D21A ***FT***	SGDV-450D21A ***FT***		



EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Σ-V-FT series: (Capacitance 37.5kW-55.0kW)		
Multi Windings Drive type		
Type of rotary motor		
SGDV-101JF1A ***FT***		
SGDV-131JF1A ***FT***		
Standard: (Capacitance 22.0kW-55.0kW)		
MECHATROLINK-III (RJ-45) I/F		
Type of rotary motor	Type of linear motor	
SGDV-450D31A ***FT***	SGDV-450D35A ***FT***	
SGDV-750J31A ***FT***	SGDV-750D35A ***FT***	
SGDV-101J31A ***FT***	SGDV-101D35A ***FT***	
SGDV-131J31A ***FT***	SGDV-131D35A ***FT***	

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for SGDV series (Design order = A type)

SGDV- *** * ** * *** ** *
 A B C D E F G H

A: SGDV Σ-V Series SGDV Servopack

B: Output Current

Group	Continuous Output current	Input Voltage	Output Voltage
R70	0.66 [A]	200V3ac,ac	200V3ac
R90	0.91 [A]		
1R6	1.6 [A]		
2R8	2.8 [A]		
3R8	3.8 [A]		
5R5	5.5 [A]		
7R6	7.6 [A]		
120	11.6 [A]	200V3ac,ac	200V3ac
180	18.5 [A]		
200	19.6 [A]		
330	32.9 [A]		
470	46.9 [A]		
550	54.7 [A]		
590	58.6 [A]		
780	78.0 [A]		
1R9	1.9 [A]	400V3ac	400V3ac
3R5	3.5 [A]		
5R4	5.4 [A]		
8R4	8.4 [A]		
120	11.9 [A]		
170	16.5 [A]		
210	20.8 [A]		
260	25.7 [A]		
280	28.1 [A]		
370	37.2 [A]		
450	45.0 [A]		



Product Service

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Continuous Output current	Input Voltage	Output Voltage
R70	0.66 [A]	100Vac	200V3ac
R90	0.91 [A]		
2R1	2.1 [A]		
2R8	2.8 [A]		
R70	0.7 [A]	100Vac	100V3ac
1R0	0.98 [A]	540Vdc	400V3ac
750	75 [A]		
101	98 [A]		
131	126 [A]		
121	116 [A]	270Vdc	200V3ac
161	160 [A]		
201	200 [A]		

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICAT

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

C: Rated Voltage

Group	Input Voltage	Output Voltage
A	200V3ac,ac	200V3ac
D	400V3ac	400V3ac
F	100Vac	200V3ac
B	100Vac	100V3ac
J	540Vdc	400V3ac
H	270Vdc	200V3ac

D: Interface

Group	Model	Difference
01	Analogue/Pulse I/F, for Rotary motor	Control board is Analogue/Pulse I/F, Software is for Analogue/Pulse I/F, Rotary motor
05	Analogue/Pulse I/F, for Linear motor	Hardware is exactly same as 01 type. Software is changed from 01 type for Linear motor
11	MECHATROLINK-II I/F, for Rotary motor	Control board is MECHATROLINK-II I/F, Software is for MECHATROLINK-II I/F, Rotary motor
15	MECHATROLINK-II I/F, for Linear motor	Hardware is exactly same as 11 type. Software is changed from 11 type for Linear motor.
E1	Command Option I/F, for Rotary motor	Control board is Command Option I/F, Software is for Command Option I/F, Rotary motor
E5	Command Option I/F, for Linear motor	Hardware is exactly same as E1 type. Software is changed from E1 type for Linear motor.
21	MECHATROLINK-III I/F, for Rotary motor	Control board is MECHATROLINK-III I/F, Software is for MECHATROLINK-III I/F, Rotary motor
25	MECHATROLINK-III I/F, for Linear motor	Hardware is exactly same as 21 type. Software is changed from 21 type for Linear motor.
F1	Multi Windings Drive type, for Rotary motor	Hardware is exactly same as 11 type. Software for Multi Windings Drive type, Rotary motor.
31	MECHATROLINK-III (RJ-45)I/F, for Rotary motor	Control board is MECHATROLINK-III (RJ-45)I/F, Software is for MECHATROLINK-III I/F, Rotary motor
35	MECHATROLINK-III (RJ-45)I/F, for Linear motor	Hardware is exactly same as 31 type. Software is changed from 31 type for Linear motor.

E: Design order

Group	Type
A	Standard

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

F: Option for Hardware

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
Blank	Standard	Not handle	Not handle
000	Standard	Not handle	Not handle
001	Rack mount type (capacity of 5kW and below) Ventilation type (capacity between 6kW and 55kW)	Not handle	Not handle
002	Standard	Handle	Not handle
003	=001+002	Handle	Not handle
004	Standard	Not handle	Handle
005	=001+004	Not handle	Handle
006	=002+004	Handle	Handle
007	=001+002+004	Handle	Handle
008	AC 200V single phase input voltage	Not handle	Not handle
009	=001+008	Not handle	Not handle
00A	=002+008	Handle	Not handle
00B	=001+002+008	Handle	Not handle
00C	=004+008	Not handle	Handle
00D	=001+004+008	Not handle	Handle
00E	=002+004+008	Handle	Handle
00F	=001+002+004+008	Handle	Handle

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
010	Open collector pulse output signal type	Not handle	Not handle
011	=001+010	Not handle	Not handle
012	=002+010	Handle	Not handle
013	=001+002+010	Handle	Not handle
014	=004+010	Not handle	Handle
015	=001+004+010	Not handle	Handle
016	=002+004+010	Handle	Handle
017	=001+002+004+010	Handle	Handle
018	=008+010	Not handle	Not handle
019	=001+008+010	Not handle	Not handle
01A	=002+008+010	Handle	Not handle
01B	=001+002+008+010	Handle	Not handle
01C	=004+008+010	Not handle	Handle
01D	=001+004+008+010	Not handle	Handle
01E	=002+004+008+010	Handle	Handle
01F	=001+002+004+008+010	Handle	Handle
020	External DB resistor type or without DB type	Not handle	Not handle
021	=001+020	Not handle	Not handle
022	=002+020	Handle	Not handle
023	=001+002+020	Handle	Not handle
024	=004+020	Not handle	Handle
025	=001+002+020	Not handle	Handle
026	=002+004+020	Handle	Handle
027	=001+002+004+020	Handle	Handle
028	=008+020	Not handle	Not handle
029	=001+008+020	Not handle	Not handle
02A	=002+008+020	Handle	Not handle
02B	=001+002+008+020	Handle	Not handle
02C	=004+008+020	Not handle	Handle
02D	=001+004+008+020	Not handle	Handle
02E	=002+004+008+020	Handle	Handle
02F	=001+002+004+008+020	Handle	Handle

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
030	=010+020	Not handle	Not handle
031	=001+010+020	Not handle	Not handle
032	=002+010+020	Handle	Not handle
033	=001+002+010+020	Handle	Not handle
034	=004+010+020	Not handle	Handle
035	=001+004+010+020	Not handle	Handle
036	=002+004+010+020	Handle	Handle
037	=001+002+004+010+020	Handle	Handle
038	=008+010+020	Not handle	Not handle
039	=001+008+010+020	Not handle	Not handle
03A	=002+008+010+020	Handle	Not handle
03B	=001+002+008+010+020	Handle	Not handle
03C	=004+008+010+020	Not handle	Handle
03D	=001+004+008+010+020	Not handle	Handle
03E	=002+004+008+010+020	Handle	Handle
03F	=001+002+004+008+010+020	Handle	Handle

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

G: Option for Software

Group	Option Specification of Software	Difference from Standard model
Blank	Standard.	--
00	Standard.	Hardware and/or parameters are changed.
01	Internal setting speed a change of 15 steps.	Specification into the number of the speed tables of the internal parameter which can be set as a servopack was changed from three steps in 15 steps.
02	The functional addition of absolute value encoder initialization by the contact input signal from the outside	Specification, which could be made to perform initialization operation of the absolute value encoder with an I/O signal without connecting an external operation.
03	Speed limit detection functional addition.	Speed limit detection function addition.
04	Instruction input disconnection functional addition.	Specification, which added the function, which detects disconnections and is used as alarm when wiring of the instruction input from a controller is disconnected.
05	The Mitsubishi PLC correspondence and the Mitsubishi specification absolute value data-processing correspondence.	Specification, which changed I/F according to Mitsubishi PLC.
06	C phase pulse zero return functional addition	Specification, which added the zero return function which uses C-Phase pulse.
07	F47 standard correspondence.	Specification, to which soft processing required for the measures against the power failure specified by F47 standard was added.

H: Option for Parameter

Group	Option Specification of Software	Difference from Standard model
Blank	Standard	--
0	Standard	--

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for SGD V series (Design order = B type)

SGDV- *** * ** * *** ** *
 A B C D E F G H

A: SGD V Σ -V Series SGD V Servopack

B: Output Current

Group	Continuous Output current	Input Voltage	Output Voltage
R70	0.66 [A]	200V3ac,ac	200V3ac
R90	0.91 [A]		
1R6	1.6 [A]		
2R8	2.8 [A]		

C: Rated Voltage

Group	Input Voltage	Output Voltage
A	200V3ac,ac	200V3ac

D: Interface

Group	Model	Difference
01	Analogue/Pulse I/F, for Rotary motor	Control board is Analogue/Pulse I/F, Software is for Analogue/Pulse I/F, Rotary motor
05	Analogue/Pulse I/F, for Linear motor	Hardware is exactly same as 01 type. Software is changed from 01 type for Linear motor
11	MECHATROLINK-II I/F, for Rotary motor	Control board is MECHATROLINK-II I/F, Software is for MECHATROLINK-II I/F, Rotary motor
15	MECHATROLINK-II I/F, for Linear motor	Hardware is exactly same as 11 type. Software is changed from 11 type for Linear motor.
21	MECHATROLINK-III I/F, for Rotary motor	Control board is MECHATROLINK-III I/F, Software is for MECHATROLINK-III I/F, Rotary motor
25	MECHATROLINK-III I/F, for Linear motor	Hardware is exactly same as 21 type. Software is changed from 21 type for Linear motor.

E: Design order

Group	Type
B	Fan-less

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

F: Option for Hardware

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
Blank	Standard	Not handle	Not handle
000	Standard	Not handle	Not handle
001	Rack mount type(capacity of 5kW and below) Ventilation type (capacity between 6kW and 15kW)	Not handle	Not handle
002	Standard	Handle	Not handle
003	=001+002	Handle	Not handle
004	Standard	Not handle	Handle
005	=001+004	Not handle	Handle
006	=002+004	Handle	Handle
007	=001+002+004	Handle	Handle
008	AC 200V single phase input voltage	Not handle	Not handle
009	=001+008	Not handle	Not handle
00A	=002+008	Handle	Not handle
00B	=001+002+008	Handle	Not handle
00C	=004+008	Not handle	Handle
00D	=001+004+008	Not handle	Handle
00E	=002+004+008	Handle	Handle
00F	=001+002+004+008	Handle	Handle
010	Open collector pulse output signal type	Not handle	Not handle
011	=001+010	Not handle	Not handle
012	=002+010	Handle	Not handle
013	=001+002+010	Handle	Not handle
014	=004+010	Not handle	Handle
015	=001+004+010	Not handle	Handle
016	=002+004+010	Handle	Handle
017	=001+002+004+010	Handle	Handle
018	=008+010	Not handle	Not handle
019	=001+008+010	Not handle	Not handle
01A	=002+008+010	Handle	Not handle
01B	=001+002+008+010	Handle	Not handle
01C	=004+008+010	Not handle	Handle
01D	=001+004+008+010	Not handle	Handle
01E	=002+004+008+010	Handle	Handle
01F	=001+002+004+008+010	Handle	Handle

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
020	External DB resistor type or without DB type	Not handle	Not handle
021	=001+020	Not handle	Not handle
022	=002+020	Handle	Not handle
023	=001+002+020	Handle	Not handle
024	=004+020	Not handle	Handle
025	=001+002+020	Not handle	Handle
026	=002+004+020	Handle	Handle
027	=001+002+004+020	Handle	Handle
028	=008+020	Not handle	Not handle
029	=001+008+020	Not handle	Not handle
02A	=002+008+020	Handle	Not handle
02B	=001+002+008+020	Handle	Not handle
02C	=004+008+020	Not handle	Handle
02D	=001+004+008+020	Not handle	Handle
02E	=002+004+008+020	Handle	Handle
02F	=001+002+004+008+020	Handle	Handle
030	=010+020	Not handle	Not handle
031	=001+010+020	Not handle	Not handle
032	=002+010+020	Handle	Not handle
033	=001+002+010+020	Handle	Not handle
034	=004+010+020	Not handle	Handle
035	=001+004+010+020	Not handle	Handle
036	=002+004+010+020	Handle	Handle
037	=001+002+004+010+020	Handle	Handle
038	=008+010+020	Not handle	Not handle
039	=001+008+010+020	Not handle	Not handle
03A	=002+008+010+020	Handle	Not handle
03B	=001+002+008+010+020	Handle	Not handle
03C	=004+008+010+020	Not handle	Handle
03D	=001+004+008+010+020	Not handle	Handle
03E	=002+004+008+010+020	Handle	Handle
03F	=001+002+004+008+010+020	Handle	Handle

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

G: Option for Software

Group	Option Specification of Software	Difference from Standard model
Blank	Standard.	--
00	Standard.	Hardware and/or parameters are changed.
01	Internal setting speed a change of 15 steps.	Specification into the number of the speed tables of the internal parameter which can be set as a servopack was changed from three steps in 15 steps.
02	The functional addition of absolute value encoder initialization by the contact input signal from the outside	Specification, which could be made to perform initialization operation of the absolute value encoder with an I/O signal without connecting an external operation.
03	Speed limit detection functional addition.	Speed limit detection function addition.
04	Instruction input disconnection functional addition.	Specification, which added the function, which detects disconnections and is used as alarm when wiring of the instruction input from a controller is disconnected.
05	The Mitsubishi PLC correspondence and the Mitsubishi specification absolute value data-processing correspondence.	Specification, which changed I/F according to Mitsubishi PLC.
06	C phase pulse zero return functional addition	Specification, which added the zero return function which uses C-Phase pulse.
07	F47 standard correspondence.	Specification, to which soft processing required for the measures against the power failure specified by F47 standard was added.

H: Option for Parameter

Group	Option Specification of Software	Difference from Standard model
Blank	Standard	--
0	Standard	--

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for -OY type

$\frac{\text{SGDV-}}{\text{A}}$ $\frac{\text{***}}{\text{B}}$ $\frac{\text{*}}{\text{C}}$ $\frac{\text{**}}{\text{D}}$ $\frac{\text{*}}{\text{E}}$ $\frac{\text{-OY}}{\text{F}}$ $\frac{\text{*****}}{\text{G}}$

A: SGDV Σ -V Series SGDV Servopack

B: Rated Output of Applicable Servomotor

Group	Relation-ship with Standard group	Rated Output of Applicable Servomotor	Input Voltage	Output voltage
A5	R70	50 [W]	200V3ac,ac	200V3ac
01	R90	100 [W]		
02	1R6	200 [W]		
04	2R8	400 [W]		
05	3R8	500 [W]		
08	5R5	750 [W]		
15	120	1.5 [kW]		
05	1R9	500 [W]		
10	3R8	1.0 [kW]		
15	5R4	1.5 [kW]		
20	8R4	2.0 [kW]		
30	120	3.0 [kW]		
50	170	5.0 [kW]		
60	210	6.0 [kW]		
75	260	7.5 [kW]		
1A	280	11 [kW]		
1E	370	15 [kW]		

Notes:

For -OY models, at the column B has 2 digit, but standard models have 3 digits to indicate output current.

C: Rated Voltage

Group	Input Voltage	Output Voltage
A	200V3ac,ac	200V3ac
D	400V3ac	400V3ac

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

D: Interface

Group	Model	Difference
01	Analogue/Pulse I/F, for Rotary motor	Control board is Analogue/Pulse I/F, Software is for Analogue/Pulse I/F, Rotary motor
05	Analogue/Pulse I/F, for Linear motor	Hardware is exactly same as 01 type. Software is changed from 01 type for Linear motor
11	MECHATROLINK-II I/F, for Rotary motor	Control board is MECHATROLINK-II I/F, Software is for MECHATROLINK-II I/F, Rotary motor
15	MECHATROLINK-II I/F, for Linear motor	Hardware is exactly same as 11 type. Software is changed from 11 type for Linear motor.

E: Design order

Group	Type
A	Standard

F: -OY, OMRON Yaskawa Bland

G: Option specification

Group	Option specification
Blank	Standard Model
008000	AC 200V single phase input type

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for Y-Specification (Design order = A type)

SGD V- *** * ** * Y*****
 A B C D E F

A: SGD V Σ-V Series SGD V Servopack

B: Output Current

Group	Continuous Output current	Input Voltage	Output Voltage
R70	0.66 [A]	200V3ac,ac	200V3ac
R90	0.91 [A]		
1R6	1.6 [A]		
2R8	2.8 [A]		
3R8	3.8 [A]		
5R5	5.5 [A]		
7R6	7.6 [A]	200V3ac	
120	11.6 [A]	200V3ac,ac	
180	18.5 [A]	200V3ac	
200	19.6 [A]		
330	32.9 [A]		
470	46.9 [A]		
550	54.7 [A]		
590	58.6 [A]		
780	78.0 [A]	400V3ac	400V3ac
1R9	1.9 [A]		
3R5	3.5 [A]		
5R4	5.4 [A]		
8R4	8.4 [A]		
120	11.9 [A]		
170	16.5 [A]		
210	20.8 [A]		
260	25.7 [A]		
280	28.1 [A]		
370	37.2 [A]		
450	45.0 [A]		



Product Service

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Continuous Output current	Input Voltage	Output Voltage
R70	0.66 [A]	100Vac	200V3ac
R90	091 [A]		
2R1	2.1 [A]		
2R8	2.8 [A]		
R70	0.7 [A]	100Vac	100V3ac
1R0	0.98 [A]		
750	75 [A]	540Vdc	400V3ac
101	98 [A]		
131	126 [A]		
	106 [A] (Y132 only)		
121	116 [A]	270Vdc	200V3ac
161	160 [A]		
201	200 [A]		

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICAT

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

C: Rated Voltage

Group	Input Voltage	Output Voltage
A	200V3ac,ac	200V3ac
D	400V3ac	400V3ac
F	100Vac	200V3ac
B	100Vac	100V3ac
J	540Vdc	400V3ac
H	270Vdc	200V3ac

D: Interface

Group	Model	Difference
01	Analogue/Pulse I/F, for Rotary motor	Control board is Analogue/Pulse I/F, Software is for Analogue/Pulse I/F, Rotary motor
05	Analogue/Pulse I/F, for Linear motor	Hardware is exactly same as 01 type. Software is changed from 01 type for Linear motor
11	MECHATROLINK-II I/F, for Rotary motor	Control board is MECHATROLINK-II I/F, Software is for MECHATROLINK-II I/F, Rotary motor
15	MECHATROLINK-II I/F, for Linear motor	Hardware is exactly same as 11 type. Software is changed from 11 type for Linear motor.
E1	Command Option I/F, for Rotary motor	Control board is Command Option I/F, Software is for Command Option I/F, Rotary motor
E5	Command Option I/F, for Linear motor	Hardware is exactly same as E1 type. Software is changed from E1 type for Linear motor.
21	MECHATROLINK-III I/F, for Rotary motor	Control board is MECHATROLINK-III I/F, Software is for MECHATROLINK-III I/F, Rotary motor
25	MECHATROLINK-III I/F, for Linear motor	Hardware is exactly same as 21 type. Software is changed from 21 type for Linear motor.
F1	Multi Windings Drive type, for Rotary motor	Hardware is exactly same as 11 type. Software for Multi Windings Drive type, Rotary motor.
31	MECHATROLINK-III (RJ-45)I/F, for Rotary motor	Control board is MECHATROLINK-III (RJ-45)I/F, Software is for MECHATROLINK-III I/F, Rotary motor
35	MECHATROLINK-III (RJ-45)I/F, for Linear motor	Hardware is exactly same as 31 type. Software is changed from 31 type for Linear motor.

E: Design order

Group	Type
A	Standard

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

F: Option specification for Hardware and/or Software and/or Parameter setting

Group	Option Specification of Software	Difference from Standard model
Blank	Standard	--
Y5****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y6****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y7****	Software and parameters are changed. The combination of this model and Safety module is possible. Refer to "Note".	Hardware is exactly same as standard model. Customized for non-safety related parameters and software.
Y8****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y9****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y400**	Hardware and/or software and/or parameter are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as SGD_V_*****02**** and SGD_V_*****03**** of Dynamic Brake Function Option specification of standard model. ** of Y400 means 2alphanumeric characters for changed software and/or parameter are changed.
Y401**	Hardware and/or software and/or parameter are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as SGD_V_*****02**** and SGD_V_*****03**** of Dynamic Brake Function Option specification of standard model. ** of Y401 means 2alphanumeric characters for changed software and/or parameter are changed.
Y409**	Software and/or parameter are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model. ** of Y409 means 2alphanumeric characters for changed software and/or parameter are changed. Y specifications number is added to the board name combined by an additional model for the parts change management of the board.

Notes:

All the applicable models of Safety module is described in the technical report : 717503093.

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Option Specification of Software	Difference from Standard model
Y132**	Parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.** of Y132 means 2alphanumeric characters for changed software and/or parameter are changed.
Y133AA	Software and/or parameter are changed. The combination of this model and Safety module is not possible.	Hardware is changed from standard model.
Y133AB	Software and/or parameter are changed. The combination of this model and Safety module is not possible.	Hardware is changed from standard model.

Notes:

All the applicable models of Safety module is described in the technical report : 717503093.

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for Y-Specification (Design order = B type)

$\frac{\text{SGDV-}}{\text{A}}$ $\frac{\text{***}}{\text{B}}$ $\frac{*}{\text{C}}$ $\frac{\text{**}}{\text{D}}$ $\frac{*}{\text{E}}$ $\frac{\text{Y*****}}{\text{F}}$

A: SGDV Σ -V Series SGDV Servopack

B: Output Current

Group	Continuous Output current	Input Voltage	Output Voltage
R70	0.66 [A]	200V3ac,ac	200V3ac
R90	0.91 [A]		
1R6	1.6 [A]		
2R8	2.8 [A]		

C: Rated Voltage

Group	Input Voltage	Output Voltage
A	200V3ac,ac	200V3ac

D: Interface

Group	Model	Difference
01	Analogue/Pulse I/F, for Rotary motor	Control board is Analogue/Pulse I/F, Software is for Analogue/Pulse I/F, Rotary motor
05	Analogue/Pulse I/F, for Linear motor	Hardware is exactly same as 01 type. Software is changed from 01 type for Linear motor
11	MECHATROLINK-II I/F, for Rotary motor	Control board is MECHATROLINK-II I/F, Software is for MECHATROLINK-II I/F, Rotary motor
15	MECHATROLINK-II I/F, for Linear motor	Hardware is exactly same as 11 type. Software is changed from 11 type for Linear motor.
21	MECHATROLINK-III I/F, for Rotary motor	Control board is MECHATROLINK-III I/F, Software is for MECHATROLINK-III I/F, Rotary motor
25	MECHATROLINK-III I/F, for Linear motor	Hardware is exactly same as 21 type. Software is changed from 21 type for Linear motor.

E: Design order

Group	Type
B	Fan-less

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

F: Option specification for Hardware and/or Software and/or Parameter setting

Group	Option Specification of Software	Difference from Standard model
Blank	Standard	--
Y5****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y6****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y7****	Software and parameters are changed. The combination of this model and Safety module is possible. Refer to "Note".	Hardware is exactly same as standard model. Customized for non-safety related parameters and software.
Y8****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y9****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y400**	Hardware and/or software and/or parameter are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as SGD V-*****02**** and SGD V-*****03**** of Dynamic Brake Function Option specification of standard model. ** of Y400 means 2 alphanumeric characters for changed software and/or parameter are changed.
Y401**	Hardware and/or software and/or parameter are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as SGD V-*****02**** and SGD V-*****03**** of Dynamic Brake Function Option specification of standard model. ** of Y401 means 2 alphanumeric characters for changed software and/or parameter are changed.

Notes:

All the applicable models of Safety module is described in the technical report : 717503093.

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for Σ -V-EX/FT series (Design order = A type)

SGD- *** * ** * *** ** ***
 A B C D E F G H

A: SGD Σ -V Series SGD Servopack

B: Output Current

Group	Continuous Output current	Input Voltage	Output Voltage	
R70	0.66 [A]	200V3ac,ac	200V3ac	
R90	0.91 [A]			
1R6	1.6 [A]			
2R8	2.8 [A]			
3R8	3.8 [A]			
5R5	5.5 [A]			
7R6	7.6 [A]	200V3ac	200V3ac	
120	11.6 [A]	200V3ac,ac		
180	18.5 [A]	200V3ac		
200	19.6 [A]			
330	32.9 [A]			
470	46.9 [A]			
550	54.7 [A]			
590	58.6 [A]	400V3ac		400V3ac
780	78.0 [A]			
1R9	1.9 [A]			
3R5	3.5 [A]			
5R4	5.4 [A]			
8R4	8.4 [A]			
120	11.9 [A]			
170	16.5 [A]			
210	20.8 [A]			
260	25.7 [A]			
280	28.1 [A]			
370	37.2 [A]			
450	45.0 [A]			



Product Service

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Continuous Output current	Input Voltage	Output Voltage
R70	0.66 [A]	100Vac	200V3ac
R90	0.91 [A]		
2R1	2.1 [A]		
2R8	2.8 [A]		
R70	0.7 [A]	100Vac	100V3ac
1R0	0.98 [A]		
750	75 [A]	540Vdc	400V3ac
101	98 [A]		
131	126 [A]		
121	116 [A]	270Vdc	200V3ac
161	160 [A]		
201	200 [A]		

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICAT

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

C: Rated Voltage

Group	Input Voltage	Output Voltage
A	200V3ac,ac	200V3ac
D	400V3ac	400V3ac
F	100Vac	200V3ac
B	100Vac	100V3ac
J	540Vdc	400V3ac
H	270Vdc	200V3ac

D: Interface

Group	Model	Difference
01	Analogue/Pulse I/F, for Rotary motor	Control board is Analogue/Pulse I/F, Software is for Analogue/Pulse I/F, Rotary motor
05	Analogue/Pulse I/F, for Linear motor	Hardware is exactly same as 01 type. Software is changed from 01 type for Linear motor
11	MECHATROLINK-II I/F, for Rotary motor	Control board is MECHATROLINK-II I/F, Software is for MECHATROLINK-II I/F, Rotary motor
15	MECHATROLINK-II I/F, for Linear motor	Hardware is exactly same as 11 type. Software is changed from 11 type for Linear motor.
E1	Command Option I/F, for Rotary motor	Control board is Command Option I/F, Software is for Command Option I/F, Rotary motor
E5	Command Option I/F, for Linear motor	Hardware is exactly same as E1 type. Software is changed from E1 type for Linear motor.
21	MECHATROLINK-III I/F, for Rotary motor	Control board is MECHATROLINK-III I/F, Software is for MECHATROLINK-III I/F, Rotary motor
25	MECHATROLINK-III I/F, for Linear motor	Hardware is exactly same as 21 type. Software is changed from 21 type for Linear motor.
F1	Multi Windings Drive type, for Rotary motor	Hardware is exactly same as 11 type. Software for Multi Windings Drive type, Rotary motor.
31	MECHATROLINK-III (RJ-45)I/F, for Rotary motor	Control board is MECHATROLINK-III (RJ-45)I/F, Software is for MECHATROLINK-III I/F, Rotary motor
35	MECHATROLINK-III (RJ-45)I/F, for Linear motor	Hardware is exactly same as 31 type. Software is changed from 31 type for Linear motor.

E: Design order

Group	Type
A	Standard

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

F: Option for Hardware

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
Blank	Standard	Not handle	Not handle
000	Standard	Not handle	Not handle
001	Rack mount type(capacity of 5kW and below) Ventilation type (capacity between 6kW and 55kW)	Not handle	Not handle
002	Standard	Handle	Not handle
003	=001+002	Handle	Not handle
004	Standard	Not handle	Handle
005	=001+004	Not handle	Handle
006	=002+004	Handle	Handle
007	=001+002+004	Handle	Handle
008	AC 200V single phase input voltage	Not handle	Not handle
009	=001+008	Not handle	Not handle
00A	=002+008	Handle	Not handle
00B	=001+002+008	Handle	Not handle
00C	=004+008	Not handle	Handle
00D	=001+004+008	Not handle	Handle
00E	=002+004+008	Handle	Handle
00F	=001+002+004+008	Handle	Handle

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
010	Open collector pulse output signal type	Not handle	Not handle
011	=001+010	Not handle	Not handle
012	=002+010	Handle	Not handle
013	=001+002+010	Handle	Not handle
014	=004+010	Not handle	Handle
015	=001+004+010	Not handle	Handle
016	=002+004+010	Handle	Handle
017	=001+002+004+010	Handle	Handle
018	=008+010	Not handle	Not handle
019	=001+008+010	Not handle	Not handle
01A	=002+008+010	Handle	Not handle
01B	=001+002+008+010	Handle	Not handle
01C	=004+008+010	Not handle	Handle
01D	=001+004+008+010	Not handle	Handle
01E	=002+004+008+010	Handle	Handle
01F	=001+002+004+008+010	Handle	Handle
020	External DB resistor type or without DB type	Not handle	Not handle
021	=001+020	Not handle	Not handle
022	=002+020	Handle	Not handle
023	=001+002+020	Handle	Not handle
024	=004+020	Not handle	Handle
025	=001+002+020	Not handle	Handle
026	=002+004+020	Handle	Handle
027	=001+002+004+020	Handle	Handle
028	=008+020	Not handle	Not handle
029	=001+008+020	Not handle	Not handle
02A	=002+008+020	Handle	Not handle
02B	=001+002+008+020	Handle	Not handle
02C	=004+008+020	Not handle	Handle
02D	=001+004+008+020	Not handle	Handle
02E	=002+004+008+020	Handle	Handle
02F	=001+002+004+008+020	Handle	Handle

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
030	=010+020	Not handle	Not handle
031	=001+010+020	Not handle	Not handle
032	=002+010+020	Handle	Not handle
033	=001+002+010+020	Handle	Not handle
034	=004+010+020	Not handle	Handle
035	=001+004+010+020	Not handle	Handle
036	=002+004+010+020	Handle	Handle
037	=001+002+004+010+020	Handle	Handle
038	=008+010+020	Not handle	Not handle
039	=001+008+010+020	Not handle	Not handle
03A	=002+008+010+020	Handle	Not handle
03B	=001+002+008+010+020	Handle	Not handle
03C	=004+008+010+020	Not handle	Handle
03D	=001+004+008+010+020	Not handle	Handle
03E	=002+004+008+010+020	Handle	Handle
03F	=001+002+004+008+010+020	Handle	Handle

G: Software option series

Group	Type
EX	Σ-V-EX series
FT	Σ-V-FT series

H: Option of Software and parameter

Group	Option Specification of Software and parameter	Difference from Standard model
0**	Software and parameters are changed. The combination of this model and Safety module is possible.	Hardware is exactly same as standard model.
1**		
2**		
3**		
4**		
5**		
6**		
7**		
8**	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
9**		

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for Σ -V-EX/FT series (Design order = B type)

$\frac{\text{SGDV-}}{\text{A}}$ $\frac{\text{***}}{\text{B}}$ $\frac{*}{\text{C}}$ $\frac{\text{**}}{\text{D}}$ $\frac{*}{\text{E}}$ $\frac{\text{***}}{\text{F}}$ $\frac{\text{**}}{\text{G}}$ $\frac{\text{***}}{\text{H}}$

A: SGD V Σ -V Series SGD V Servopack

B: Output Current

Group	Continuous Output current	Input Voltage	Output Voltage
R70	0.66 [A]	200V3ac,ac	200V3ac
R90	0.91 [A]		
1R6	1.6 [A]		
2R8	2.8 [A]		

C: Rated Voltage

Group	Input Voltage	Output Voltage
A	200V3ac,ac	200V3ac

D: Interface

Group	Model	Difference
01	Analogue/Pulse I/F, for Rotary motor	Control board is Analogue/Pulse I/F, Software is for Analogue/Pulse I/F, Rotary motor
05	Analogue/Pulse I/F, for Linear motor	Hardware is exactly same as 01 type. Software is changed from 01 type for Linear motor
11	MECHATROLINK-II I/F, for Rotary motor	Control board is MECHATROLINK-II I/F, Software is for MECHATROLINK-II I/F, Rotary motor
15	MECHATROLINK-II I/F, for Linear motor	Hardware is exactly same as 11 type. Software is changed from 11 type for Linear motor.
21	MECHATROLINK-III I/F, for Rotary motor	Control board is MECHATROLINK-III I/F, Software is for MECHATROLINK-III I/F, Rotary motor
25	MECHATROLINK-III I/F, for Linear motor	Hardware is exactly same as 21 type. Software is changed from 21 type for Linear motor.

E: Design order

Group	Type
B	Fan-less

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

F: Option for Hardware

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
Blank	Standard	Not handle	Not handle
000	Standard	Not handle	Not handle
001	Rack mount type(capacity of 5kW and below) Ventilation type (capacity between 6kW and 15kW)	Not handle	Not handle
002	Standard	Handle	Not handle
003	=001+002	Handle	Not handle
004	Standard	Not handle	Handle
005	=001+004	Not handle	Handle
006	=002+004	Handle	Handle
007	=001+002+004	Handle	Handle
008	AC 200V single phase input voltage	Not handle	Not handle
009	=001+008	Not handle	Not handle
00A	=002+008	Handle	Not handle
00B	=001+002+008	Handle	Not handle
00C	=004+008	Not handle	Handle
00D	=001+004+008	Not handle	Handle
00E	=002+004+008	Handle	Handle
00F	=001+002+004+008	Handle	Handle

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
010	Open collector pulse output signal type	Not handle	Not handle
011	=001+010	Not handle	Not handle
012	=002+010	Handle	Not handle
013	=001+002+010	Handle	Not handle
014	=004+010	Not handle	Handle
015	=001+004+010	Not handle	Handle
016	=002+004+010	Handle	Handle
017	=001+002+004+010	Handle	Handle
018	=008+010	Not handle	Not handle
019	=001+008+010	Not handle	Not handle
01A	=002+008+010	Handle	Not handle
01B	=001+002+008+010	Handle	Not handle
01C	=004+008+010	Not handle	Handle
01D	=001+004+008+010	Not handle	Handle
01E	=002+004+008+010	Handle	Handle
01F	=001+002+004+008+010	Handle	Handle
020	External DB resistor type or without DB type	Not handle	Not handle
021	=001+020	Not handle	Not handle
022	=002+020	Handle	Not handle
023	=001+002+020	Handle	Not handle
024	=004+020	Not handle	Handle
025	=001+002+020	Not handle	Handle
026	=002+004+020	Handle	Handle
027	=001+002+004+020	Handle	Handle
028	=008+020	Not handle	Not handle
029	=001+008+020	Not handle	Not handle
02A	=002+008+020	Handle	Not handle
02B	=001+002+008+020	Handle	Not handle
02C	=004+008+020	Not handle	Handle
02D	=001+004+008+020	Not handle	Handle
02E	=002+004+008+020	Handle	Handle
02F	=001+002+004+008+020	Handle	Handle

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
030	=010+020	Not handle	Not handle
031	=001+010+020	Not handle	Not handle
032	=002+010+020	Handle	Not handle
033	=001+002+010+020	Handle	Not handle
034	=004+010+020	Not handle	Handle
035	=001+004+010+020	Not handle	Handle
036	=002+004+010+020	Handle	Handle
037	=001+002+004+010+020	Handle	Handle
038	=008+010+020	Not handle	Not handle
039	=001+008+010+020	Not handle	Not handle
03A	=002+008+010+020	Handle	Not handle
03B	=001+002+008+010+020	Handle	Not handle
03C	=004+008+010+020	Not handle	Handle
03D	=001+004+008+010+020	Not handle	Handle
03E	=002+004+008+010+020	Handle	Handle
03F	=001+002+004+008+010+020	Handle	Handle

G: Software option series

Group	Type
EX	Σ -V-EX series
FT	Σ -V-FT series

H: Option of Software and parameter

Group	Option Specification of Software and parameter	Difference from Standard model
0**	Software and parameters are changed. The combination of this model and Safety module is possible.	Hardware is exactly same as standard model.
1**		
2**		
3**		
4**		
5**		
6**		
7**		
8**		
9**	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for Standard model of Combinational Converter

$\frac{\text{SGDV-}}{\text{A}}$ $\frac{\text{COA}}{\text{B}}$ $\frac{\text{**}}{\text{C}}$ $\frac{\text{*}}{\text{D}}$ $\frac{\text{*}}{\text{E}}$ $\frac{\text{*****}}{\text{F}}$

A: SGDV Σ -V Series SGDV Servopack

B: COA Combinational Converter of Σ -V Series SGDV Servopack

C: Output Capacitance

Group	Continuous Output Capacitance	Input Voltage	Output Voltage
3Z	30[kW]	400V3ac	540Vdc
5E	55[kW]		
2B	22[kW]	200V3ac	270Vdc
3G	37[kW]		

D: Rated Input Voltage / Output Voltage

Group	Input Voltage	Output Voltage
D	400V3ac	540Vdc
A	200V3ac	270Vdc

E: Design Order

Group	Type
A	Standard

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

F: Option of Hardware

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
Blank	Standard	Not handle	Not handle
000000	Standard	Not handle	Not handle
001000	Ventilation type	Not handle	Not handle
002000	Standard	Handle	Not handle
003000	=001+002	Handle	Not handle
004000	Standard	Not handle	Handle
005000	=001+004	Not handle	Handle
006000	=002+004	Handle	Handle
007000	=001+002+004	Handle	Handle
008000	AC 200V single phase input type	Not handle	Not handle
009000	=001+008	Not handle	Not handle
00A000	=002+008	Handle	Not handle
00B000	=001+002+008	Handle	Not handle
00C000	=004+008	Not handle	Handle
00D000	=001+004+008	Not handle	Handle
00E000	=002+004+008	Handle	Handle
00F000	=001+002+004+008	Handle	Handle

Note:

As for the last of three characters, 000 is standard.

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for Y-Specification of Combinational Converter

SGDV-	COA	**	*	*	Y****
A	B	C	D	E	F

A: SGDV Σ -V Series SGDV Servopack

B: COA Combinational Converter of Σ -V Series SGDV Servopack

C: Output Capacitance

Group	Continuous Output Capacitance	Input Voltage	Output Voltage
3Z	30[kW]	400V3ac	540Vdc
5E	55[kW]		
2B	22[kW]	200V3ac	270Vdc
3G	37[kW]		

D: Rated Input Voltage / Output Voltage

Group	Input Voltage	Output Voltage
D	400V3ac	540Vdc
A	200V3ac	270Vdc

E: Design Order

Group	Type
A	Standard

F: Option specification of Hardware and/or Software and/or Parameter setting

Group	Option Specification of Software	Difference from Standard model
Blank	Standard	--
Y5****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y6****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y7****	Software and parameters are changed. The combination of this model and Safety module is possible. Refer to "Note".	Hardware is exactly same as standard model. Customized for non-safety related parameters and software.
Y8****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y9****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.

Note: all the applicable models of Safety module is described in the technical report : 717503093.

Page 52 of 60

TÜV SÜD Product Service GmbH is notified Body to the Directive 2014/30/EU relating to electromagnetic compatibility with the identification number 0123.

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for Standard model of Combinational
Multi Windings Control Unit

<u>JUSP-</u>	<u>MD</u>	<u>*</u>	<u>*</u>	<u>**</u>	<u>*</u>	<u>***</u>	<u>**</u>	<u>*</u>
A	B	C	D	E	F	G	H	I

A: JUSP SERVOPACK Option

B: MD Multi Windings Control Unit

C: Continuous Output Capacitance

Group	Continuous Output Capacitance
3	75[kW]
4	90[kW]
5	110[kW]

D: Rated Input Voltage

Group	Input Voltage
D	400V3ac

E: Interface

Group	Model	Difference
01	Analogue/Pulse I/F, for Rotary motor	Control board is Analogue/Pulse I/F, Software is for Analogue/Pulse I/F, Rotary motor
11	MECHATROLINK-II I/F, for Rotary motor	Control board is MECHATROLINK-II I/F, Software is for MECHATROLINK-II I/F, Rotary motor

F: Design Order

Group	Type
A	Standard

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

G: Option for Hardware

Group	Option Specification of Hardware
	Structure (Hardware)
Blank	Standard
000	Standard
010	Open collector pulse output signal type

H: Option for Software

Group	Option Specification of Software	Difference from Standard model
Blank	Standard.	--
00	Standard.	Hardware and/or parameters are changed.
01	Internal setting speed a change of 15 steps.	Specification into the number of the speed tables of the internal parameter which can be set as a servopack was changed from three steps in 15 steps.
02	The functional addition of absolute value encoder initialization by the contact input signal from the outside	Specification, which could be made to perform initialization operation of the absolute value encoder with an I/O signal without connecting an external operation.
03	Speed limit detection functional addition.	Speed limit detection function addition.
04	Instruction input disconnection functional addition.	Specification, which added the function, which detects disconnections and is used as alarm when wiring of the instruction input from a controller is disconnected.
05	The Mitsubishi PLC correspondence and the Mitsubishi specification absolute value data-processing correspondence.	Specification, which changed I/F according to Mitsubishi PLC.
06	C phase pulse zero return functional addition	Specification, which added the zero return function which uses C-Phase pulse.
07	F47 standard correspondence.	Specification, to which soft processing required for the measures against the power failure specified by F47 standard was added.

I: Option for Parameter

Group	Option Specification of Software	Difference from Standard model
Blank	Standard	--
0	Standard	--

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for Y-Specification of Combinational

Multi Windings Control Unit

JUSP- MD * * ** * Y*****
 A B C D E F

A: JUSP SERVOPACK Option

B: MD Multi Windings Control Unit

C: Continuous Output Capacitance

Group	Continuous Output Capacitance
3	75[kW]
4	90[kW]
5	110[kW]

D: Rated Input Voltage

Group	Input Voltage
D	400V3ac

E: Interface

Group	Model	Difference
01	Analogue/Pulse I/F, for Rotary motor	Control board is Analogue/Pulse I/F, Software is for Analogue/Pulse I/F, Rotary motor
11	MECHATROLINK-II I/F, for Rotary motor	Control board is MECHATROLINK-II I/F, Software is for MECHATROLINK-II I/F, Rotary motor

F: Design Order

Group	Type
A	Standard

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

G: Option specification for Hardware and/or Software and/or Parameter setting

Group	Option Specification of Software	Difference from Standard model
Blank	Standard	--
Y5****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y6****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y8****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.
Y9****	Software and parameters are changed. The combination of this model and Safety module is not possible.	Hardware is exactly same as standard model.

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for SGDV Series (Option card for SGDV Series)

SGDV- ** * ** * *** ** ***
 A B C D E F G H

A: SGDV: Option card for AC Servo amplifier SGDV Series

B: Function of board

C: Product control section

D: I/F specification

B, C, D

Group B	Group C	Group D	Specification
OF:feedback option	A:JAPAN	01	Fully closed I/F card
OS:safety option		01	Safety I/F card
OC:command option		01	EtherCAT I/F card
		03	INDEXER I/F card
		04	DeviceNet I/F card (Power supply from SERVOPACK)
		05	DeviceNet I/F card (Power supply from DeviceNet port)
B:EUROPE	02	Ethernet POWERLINK I/F card	
	03	PROFINET IO Device option card	
	C:USA	02	MP2600iec 1axis machine controller option card
		04	SigmaLogic controller option card

E: Design order

Group	Type
A	Standard

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

F: Option for Hardware

Group	Option Specification of Hardware		
	Structure (Hardware)	Board coating (Varnish)	Measures for vibration
Blank	Standard	Not handle	Not handle
000	Standard	Not handle	Not handle
002	Standard	Handel	Not handle
004	Standard	Not handle	Handle
006	=002+004	Handle	Handle

G: Option for Software

Group	Option Specification of Software	Difference from Standard model
Blank	Standard.	--
00	Standard.	-
FT	FT Specification	Hardware is exactly same as standard model.

H: Option for Parameter

Group	Option Specification of Software	Difference from Standard model
Blank	Standard	--
0	Standard	--
900	HWBB input signal of Servopack and SRI-A/B inputs of Safety Module are available at same time.	Hardware is exactly same as standard model.

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Nomenclature for Y-specification (Option card for SGD V Series)

SGD V- ** * ** * Y*****
 A B C D E F

A: SGD V : Option card for AC Servo amplifier SGD V Series

B: Function of board

C: Product control section

D: I/F specification

B, C, D

Group B	Group C	Group D	Specification
OF:feedback option OS:safety option OC:command option	A:JAPAN	01	Fully closed I/F card
		01	Safety I/F card
		01	EtherCAT I/F card
		03	INDEXER I/F card
		04	DeviceNet I/F card (Power supply from SERVOPACK)
		05	DeviceNet I/F card (Power supply from DeviceNet port)
	B:EUROPE	02	Ethernet POWERLINK I/F card
		03	PROFINET IO Device option card
	C:USA	02	MP2600iec 1axis machine controller option card
		04	SigmaLogic controller option card

E: Design order

Group	Type
A	Standard

F: Option specification for Hardware and/or Software and/or Parameter setting

Group	Option Specification of Software	Difference from Standard model
Blank	Standard	--
Y5****	Software and/or parameters are changed.	Hardware is exactly same as standard model.
Y6****	Software and/or parameters are changed.	Hardware is exactly same as standard model.
Y7****	Software and/or parameters are changed.	Hardware is exactly same as standard model.
Y8****	Software and/or parameters are changed.	Hardware is exactly same as standard model.
Y9****	Software and/or parameters are changed.	Hardware is exactly same as standard model.

EU-Type Examination Certificate

No. E6A 022021 0675 Rev. 02

Description of Object: Rated Voltage: 100-120 VAC (1 phase),
200-240 VAC (1 phase, 3 phase),
380-480 VAC (3 phase),
5 VDC, 24 VDC, 270 VDC, 540 VDC
Rated Power: 0.02 kW-15 kW(AC), 22 kW-37 kW(AC),
2.5 W(DC), 48 W(DC), 30 kW-55 kW(DC)
Remark: All aspects of the essential requirements
were assessed.

**Tested
according to:**

EN 55011:2016/A11:2020 (Group 1, Class A)
EN 61000-6-4:2007/A1:2011
EN 61000-6-2:2005
EN 61800-3:2004/A1:2012 (Category C2, Second environment)