

# YASKAWA

# GA500

DOCUMENT REFERENCE LIST  
PN.GA500.01

IT'S PERSONAL



**Title:** GA500 Document Reference List**Product(s):** GA500**Doc. No.** PN.GA500.01

The following document provides a complete list of GA500 Drive sales collateral. All of these documents are available at [Yaskawa.com](http://Yaskawa.com) under the [GA500 Drive's product page](#).

## Table of Contents

<b>YASKAWA CORPORATE</b> .....	<b>3</b>
<b>CATALOGS – BROCHURES – FLYERS</b> .....	<b>3</b>
<b>CONFORMANCE DOCUMENTS</b> .....	<b>3</b>
<b>GRAPHICS - VIDEOS</b> .....	<b>4</b>
<b>YOUTUBE VIDEOS</b> .....	<b>4</b>
<b>CORE MANUALS</b> .....	<b>4</b>
<b>MANUALS – ALL</b> .....	<b>5</b>
<b>TECHNICAL DOCUMENTS</b> .....	<b>6</b>
<b>TRAINING</b> .....	<b>6</b>
<b>WHITE PAPERS</b> .....	<b>7</b>
<b>SOFTWARE PROGRAMS</b> .....	<b>7</b>
<b>ELECTRICAL DRAWINGS</b> .....	<b>7</b>
<b>MECHANICAL DRAWINGS</b> .....	<b>8</b>
240V, 1-Phase, IP20/Protected Chassis .....	8
240V, 1-Phase, IP20/UL Type 1 .....	8
240V, 1-Phase Input, IP20/Protected Chassis w/ EMC Filter .....	9
240V, 3-Phase, IP20/Protected Chassis .....	10
240V, 3-Phase, IP20/UL Type 1 .....	11
240V, 3-Phase, IP20/Protected Chassis w/EMC Filter .....	12
480V, 3-Phase, IP20/Protected Chassis .....	13
480V, 3-Phase, IP20/UL Type 1 .....	14
480V, 3-Phase, IP20/Protected Chassis w/EMC Filter .....	15

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## YASKAWA CORPORATE

Title/Number	File(s):
<b>Yaskawa America, Inc. Corporate Video</b> VP.YAI.01	<a href="#">VP.YAI.01</a> (393.1MB)

## CATALOGS – BROCHURES – FLYERS

Title/Number	File(s)
<b>Brochure: GA500 Industrial AC Microdrive</b> BL.GA500.01	<a href="#">2.1MB</a>
<b>Data Sheet: GA500 Industrial AC Microdrive</b> DT.GA500.01	<a href="#">299KB</a>
<b>Flyer: Lighting Your Way: GA500 Industrial AC Microdrive</b> FL.GA500.01	<a href="#">1.5MB</a>
<b>Product Comparison: GA500 vs. V1000</b> PC.GA500.01	<a href="#">179KB</a>

## CONFORMANCE DOCUMENTS

Title/Number	File(s):
<b>Online UL Certifications Directory for Yaskawa Drives</b> UL.AFD.01	<a href="#">22KB</a>
<b>CE Declaration of Conformity for GA500</b> CE.GA500.01	<a href="#">571KB</a>

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## GRAPHICS - VIDEOS

Title/Number	File(s):
<b>Video Presentation GA500</b> VP.GA500.01	<a href="#">284.6MB</a>
<b>GA500 Photos</b> PH.GA500.01 PH.GA500.02 PH.GA500.03 PH.GA500.04	<b>JPG/PNG</b> <a href="#">2MB/2MB</a> <a href="#">2MB/1MB</a> <a href="#">2MB/1MB</a> <a href="#">6MB/NA</a>

## YOUTUBE VIDEOS

Title/Number	File(s):
<b>Yaskawa America, Inc. Corporate Overview</b> Run Time: 4:17	<a href="#">Watch Now</a>
<b>Yaskawa It's Personal</b> Run Time: 4:17	<a href="#">Watch Now</a>
<b>THE GA500 - SUSTAINABLE, FLEXIBLE, EASY</b> Run Time: 1:07	<a href="#">Watch Now</a>
<b>The Sixty Second EtherNet/IP Node</b> Run Time: 2:51	<a href="#">Watch Now</a>
<b>Features and Benefits of the GA500</b> Run Time: 21:21	<a href="#">Watch Now</a>

## CORE MANUALS

Title/Number	File(s)
<b>GA500 Versatile Compact AC Drive Technical Reference</b> SIEPC71061752	<a href="#">29.3MB</a>
<b>GA500 Versatile Compact AC Drive Installation &amp; Primary Operation</b> TOEPC71061752	<a href="#">7.6MB</a> <a href="#">458KB</a>
<b>GA500 Quick Setup Procedure</b> TOEPC71061769	<a href="#">18.6MB</a>
<b>GA500 Maintenance &amp; Troubleshooting Manual</b> TOEPYAIGA5001	<a href="#">9.9MB</a>
<b>GA500 Programming Manual</b> TOEPYAIGA5002	<a href="#">15.3MB</a>
<b>GA500 Supplement</b> TOEPYAISUP12	<a href="#">2MB</a>

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## MANUALS – ALL

Title/Number	File(s)
<b>GA500 Specification Section 15172 Variable Frequency Drives</b> SG.GA500.01	<a href="#">36KB</a>
<b>GA500 Versatile Compact AC Drive Technical Reference</b> SIEPC71061752	<a href="#">29.3MB</a>
<b>GA500 Versatile Compact AC Drive Installation &amp; Primary Operation</b> TOEPC71061752	<a href="#">7.6MB</a>
<b>GA500 Quick Setup Procedure</b> TOEPC71061769	<a href="#">458KB</a>
<b>GA500 Quick Setup Procedure</b> TOEPC71061769	<a href="#">18.6MB</a>
<b>GA500 Maintenance &amp; Troubleshooting Manual</b> TOEPYAIGA5001	<a href="#">9.9MB</a>
<b>GA500 Programming Manual</b> TOEPYAIGA5002	<a href="#">15.3MB</a>
<b>GA500 Supplement</b> TOEPYASUP12	<a href="#">2MB</a>
<b>V1000 to GA500 Transition Guide</b> PL.GA500.01	<a href="#">5.9MB</a>
<b>GA500 Mounting Template – Frame 1.x</b> TOEPC71061760	<a href="#">266KB</a>
<b>GA500 Mounting Template – Frame 2.x</b> TOEPC71061761	<a href="#">273KB</a>
<b>GA500 Mounting Template – Frame 3.x</b> TOEPC71061762	<a href="#">272KB</a>
<b>GA500 Mounting Template – Frame 4</b> TOEPC71061763	<a href="#">195KB</a>
<b>GA500 Mounting Template – Frame 5</b> TOEPC71061764	<a href="#">253KB</a>
<b>GA500 Mounting Template – Frame 6</b> TOEPC71061765	<a href="#">250KB</a>
<b>GA500 Mounting Template – Frame 7</b> TOEPC71061766	<a href="#">247KB</a>
<b>GA500 Mounting Template – Frame 8</b> TOEPC71061767	<a href="#">246KB</a>
<b>GA500 DIN Rail Attachment Installation Manual</b> TOEPC72060004	<a href="#">1.3MB</a>

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

<b>GA500 Compact Keypad Panel Mounting Kit Installation Manual</b> TOEPC72060006	<a href="#">939KB</a>
<b>GA500 Option Card Mounting Kit Installation Manual</b> TOEPC72060007	<a href="#">3.0MB</a>
<b>GA500 UL Type 1 Kit Instruction Manual</b> TOEPC72060008	<a href="#">3.4MB</a>
<b>GA500 Heatsink External Mounting Kit Instruction Manual</b> TOEPC72060009	<a href="#">4.3MB</a>
<b>LCD Keypad Installation Manual</b> TOEPC73060097	<a href="#">4.4MB</a>
<b>Bluetooth LCD Keypad Installation Manual</b> TOEPC73060094	<a href="#">2.7MB</a>
<b>LCD/Bluetooth Keypad Remote Mount Kit Installation Manual</b> TOEPC72060013	<a href="#">2.5MB</a>

## TECHNICAL DOCUMENTS

Title/Number	File(s):
<b>Dynamic Braking Resistors Specifications</b> PN.RESISTORS.01	<a href="#">1.1MB</a>
<b>Dynamic Braking Connection Diagrams</b> PN.RESISTORS.02	<a href="#">1.7MB</a>
<b>Enclosed AC Reactors Technical Specifications</b> PN.REACTORS.01	<a href="#">975KB</a>
<b>Open AC Reactors Technical Specifications</b> PN.REACTORS.02	<a href="#">759KB</a>
<b>Enclosed DC Reactors Technical Specifications</b> PN.REACTORS.03	<a href="#">713KB</a>
<b>Open DC Reactors Technical Specifications</b> PN.REACTORS.04	<a href="#">621KB</a>

## TRAINING

Title/Number	File(s):
<b>Features and Benefits of the GA500</b> eLM.GA500.01.FeaturesandBenefits	<a href="#">1.1GB</a>

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## WHITE PAPERS

Title/Number	File(s):
<b>VFD Panels and Short Circuit Current Rating</b> WP.AFD.24	<a href="#">2MB</a>
<b>The I's and O's of VFDs: Making Use of I/O on a VFD</b> WP.AFD.26	<a href="#">2MB</a>
<b>Replacing a VFD: Swap it or Upgrade?</b> WP.AFD.28	<a href="#">1MB</a>
<b>VFD Maintenance Tips: Restarting your Equipment after a Long Shutdown</b> WP.AFD.30	<a href="#">1MB</a>
<b>Top 5 VFD Parameter Changes: What You Need to Set and Why</b> WP.AFD.32	<a href="#">358kB</a>
<b>Autotuning and VFDs: Getting Your Money's Worth</b> WP.AFD.33	<a href="#">481kB</a>
<b>The ABCs and 123s of VFDs: A User's Guide to VFD Terminology</b> WP.AFD.34	<a href="#">8MB</a>

## SOFTWARE PROGRAMS

Title/Number	File(s):
<b>DriveWizard Industrial</b> SW.DW.30	<a href="#">41MB</a>
<b>DriveWizard Mobile</b>	<a href="#">Webpage</a>
<b>DriveWorksEZ 10</b> SW.DWEZ.10	<a href="#">116MB</a>
<b>Product Selector</b> SW.PS.01	<a href="#">24MB</a>
<b>Programming Simulator</b> SW.AFD.10	<a href="#">28.5MB</a>
<b>Harmonics Estimator</b> SW.HE.03	<a href="#">19.9MB</a>
<b>Energy Savings Predictor</b> SW.ESP.10	<a href="#">19.4MB</a>

## ELECTRICAL DRAWINGS

Title/Number	File(s)
<b>GA500 drive standard connection diagram</b> DS.GA50.01	<a href="#">206KB (PDF)</a> <a href="#">216KB (DWG)</a>

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## MECHANICAL DRAWINGS

### 240V, 1-Phase, IP20/Protected Chassis

Catalog Number	Normal Duty Output		Heavy Duty Output		Dimensions (in.)			Weight (lbs.) <sup>1</sup>	Drawing (By Frame #)	
	HP	Amps	HP	Amps	H	W	D		2D	3D
GA50UB001ABA	1/6	1.2	1/6	0.8	5.04	2.68	2.99	1.1	<a href="#">Fr 1.1</a>	<a href="#">Fr 1.1A</a>
GA50UB002ABA	1/4	1.9	1/4	1.6						
GA50UB004ABA	3/4	3.5	1/2	3						
GA50UB006ABA	1.5	6	1	5		4.25	5.41	3.3	<a href="#">Fr 2.4</a>	<a href="#">Fr 2.4A</a>
GA50UB010ABA	3	9.6	2	8						
GA50UB012ABA	3	12.2	3	11		5.51	6.42	4.6	<a href="#">Fr 3.2</a>	<a href="#">Fr 3.2</a>
GA50UB018ABA	NA	NA	5	17.6		6.69	7.09	6.4	<a href="#">Fr 4</a>	<a href="#">Fr 4</a>

1. This data represents the drive weight only, not shipping weight.

### 240V, 1-Phase, IP20/UL Type 1

Catalog Number	Normal Duty Output		Heavy Duty Output		Dimensions (in.)			Weight (lbs.) <sup>1</sup>	Drawing (By Frame #)	
	HP	Amps	HP	Amps	H	W	D		2D	3D
GA50UB001ABA <sup>2</sup>	1/6	1.2	1/6	0.8	5.83	2.68	2.99	1.5	<a href="#">Fr 1.1</a>	<a href="#">Fr 1.1A</a>
GA50UB002ABA <sup>2</sup>	1/4	1.9	1/4	1.6						
GA50UB004ABA <sup>2</sup>	3/4	3.5	1/2	3						
GA50UB006ABA <sup>2</sup>	1.5	6	1	5	7.01	4.25	5.41	4.2	<a href="#">Fr 2.4A</a>	<a href="#">Fr 2.4A</a>
GA50UB010ABA <sup>2</sup>	3	9.6	2	8						
GA50UB012ABA <sup>2</sup>	3	12.2	3	11		5.51	6.42	5.7	<a href="#">Fr 3.2</a>	<a href="#">Fr 3.2</a>
GA50UB018ABA <sup>2</sup>	NA	NA	5	17.6	7.17	6.69	7.09	7.7	<a href="#">Fr 4</a>	<a href="#">Fr 4</a>

1. This data represents the drive weight only, not shipping weight.

2. Add-on kit(s) is required. Consult factory for add-on kit(s).



**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## 240V, 1-Phase Input, IP20/Protected Chassis w/ EMC Filter

Catalog Number	Normal Duty Output		Heavy Duty Output		Dimensions (in.)			Weight (lbs.) <sup>1</sup>	Drawing (By Frame #)				
	HP	Amps	HP	Amps	H	W	D		2D	3D			
GA50UB001EBA	1/6	1.2	1/6	0.8	5.04	2.68	4.57	1.6	<a href="#">Fr 1.1</a>	<a href="#">Fr 1.1A</a>			
GA50UB002EBA	1/4	1.9	1/4	1.6					6.22	2.2	<a href="#">Fr 1.3</a>	<a href="#">Fr 1.3</a>	
GA50UB004EBA	3/4	3.5	1/2	3							4.25	7.19	4.0
GA50UB006EBA	1.5	6	1	5		7.83	4.4	<a href="#">Fr 2.5</a>	<a href="#">Fr 2.5A</a>				
GA50UB010EBA	3	9.6	2	8				5.51	7.99	6.0			
GA50UB012EBA	3	12.2	3	11									

1. This data represents the drive weight only, not shipping weight.

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## 240V, 3-Phase, IP20/Protected Chassis

Catalog Number	Normal Duty Output		Heavy Duty Output		Dimensions (in.)			Weight (lbs.) <sup>1</sup>	Drawing (By Frame #)				
	HP	Amps	HP	Amps	H	W	D		2D	3D			
GA50U2001ABA	1/6	1.2	1/6	0.8	5.04	2.68	2.99	1.1	<a href="#">Fr 1.1</a>	<a href="#">Fr 1.1B</a>			
GA50U2002ABA	1/4	1.9	1/4	1.6					4.25	4.25	1.8	<a href="#">Fr 1.2</a>	<a href="#">Fr 1.2</a>
GA50U2004ABA	3/4	3.5	1/2	3						5.04	2	<a href="#">Fr 1.4</a>	<a href="#">Fr 1.4</a>
GA50U2006ABA	1.5	6	1	5		4.25	5.08	3.3	<a href="#">Fr 2.3</a>	<a href="#">Fr 2.3</a>			
GA50U2010ABA	3	9.6	2	8					5.41	<a href="#">Fr 2.4</a>	<a href="#">Fr 2.4B</a>		
GA50U2012ABA	4	12.2	3	11			5.63		4.4	<a href="#">Fr 3.1</a>	<a href="#">Fr 3.1</a>		
GA50U2021ABA	7.5	21	5	17.6	10.24	5.51		7.5		<a href="#">Fr 5</a>	<a href="#">Fr 5A</a>		
GA50U2030ABA	10	30	7.5	25			5.51		7.9	<a href="#">Fr 5B</a>			
GA50U2042ABA	15	42	10	33		11.81	7.09	5.63	<a href="#">Fr 6</a>	<a href="#">Fr 6A</a>			
GA50U2056ABA	20	56	15	47	13.78				8.66	7.36	16.5	<a href="#">Fr 7</a>	
GA50U2070ABA	25	70	20	60		17.6	<a href="#">Fr 7</a>						
GA50U2082ABA	30	82	25	75									

1. This data represents the drive weight only, not shipping weight.

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## 240V, 3-Phase, IP20/UL Type 1

Catalog Number	Normal Duty Output		Heavy Duty Output		Dimensions (in.)			Weight (lbs.) <sup>1</sup>	Drawing (By Frame #)	
	HP	Amps	HP	Amps	H	W	D		2D	3D
GA50U2001ABA <sup>2</sup>	1/6	1.2	1/6	0.8	5.83	2.68	2.99	1.5	<a href="#">Fr 1.1</a>	<a href="#">Fr 1.1B</a>
GA50U2002ABA <sup>2</sup>	1/4	1.9	1/4	1.6					<a href="#">Fr 1.2</a>	<a href="#">Fr 1.2</a>
GA50U2004ABA <sup>2</sup>	3/4	3.5	1/2	3					<a href="#">Fr 1.4</a>	<a href="#">Fr 1.4</a>
GA50U2006ABA <sup>2</sup>	1.5	6	1	5					<a href="#">Fr 2.3</a>	<a href="#">Fr 2.3</a>
GA50U2010ABA <sup>2</sup>	3	9.6	2	8	7.01	4.25	5.08	4.2	<a href="#">Fr 2.4B</a>	<a href="#">Fr 2.4B</a>
GA50U2012ABA <sup>2</sup>	4	12.2	3	11					<a href="#">Fr 3.1</a>	<a href="#">Fr 3.1</a>
GA50U2021ABA <sup>2</sup>	7.5	21	5	17.6					<a href="#">Fr 5A</a>	<a href="#">Fr 5A</a>
GA50U2030ABA <sup>2</sup>	10	30	7.5	25	11.73	5.51	5.51	8.9	<a href="#">Fr 5</a>	<a href="#">Fr 5B</a>
GA50U2042ABA <sup>2</sup>	15	42	10	33					<a href="#">Fr 6</a>	<a href="#">Fr 6A</a>
GA50U2056ABA <sup>2</sup>	20	56	15	47	13.39	7.09	5.63	14.1	<a href="#">Fr 7</a>	<a href="#">Fr 7</a>
GA50U2070ABA <sup>2</sup>	25	70	20	60	15.87	8.66	7.36	19.6		
GA50U2082ABA <sup>2</sup>	30	82	25	75				20.7		

1. This data represents the drive weight only, not shipping weight.
2. Add-on kit(s) is required. Consult factory for add-on kit(s).

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## 240V, 3-Phase, IP20/Protected Chassis w/EMC Filter

Catalog Number	Normal Duty Output		Heavy Duty Output		Dimensions (in.)			Weight (lbs.) <sup>1</sup>	Drawing (By Frame #)				
	HP	Amps	HP	Amps	H	W	D		2D	3D			
GA50U2001EBA	1/6	1.2	1/6	0.8	5.04	2.68	4.57	1.3	<a href="#">Fr 1.1</a>	<a href="#">Fr 1.1B</a>			
GA50U2002EBA	1/4	1.9	1/4	1.6					5.83	2.0	<a href="#">Fr 1.2</a>	<a href="#">Fr 1.2</a>	
GA50U2004EBA	3/4	3.5	1/2	3							6.61	2.4	<a href="#">Fr 1.4</a>
GA50U2006EBA	1.5	6	1	5		4.25	6.85	3.5	<a href="#">Fr 2.3</a>	<a href="#">Fr 2.3</a>			
GA50U2010EBA	3	9.6	2	8					7.19	7.60	5.3	<a href="#">Fr 3.1</a>	<a href="#">Fr 3.1</a>
GA50U2012EBA	4	12.2	3	11							7.72	8.6	<a href="#">Fr 5</a>
GA50U2021EBA	7.5	21	5	17.6	10.24	5.51	7.72	9.0	<a href="#">Fr 5B</a>				
GA50U2030EBA	10	30	7.5	25				11.81	7.09	7.72	13.2	<a href="#">Fr 6</a>	<a href="#">Fr 6A</a>
GA50U2042EBA	15	42	10	33	13.78	8.66	8.50	18.7	<a href="#">Fr 7</a>	<a href="#">Fr 7</a>			
GA50U2056EBA	20	56	15	47				19.9	18.7	19.9	<a href="#">Fr 7</a>	<a href="#">Fr 7</a>	
GA50U2070EBA	25	70	20	60							19.9	18.7	19.9
GA50U2082EBA	30	82	25	75									

1. This data represents the drive weight only, not shipping weight.

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## 480V, 3-Phase, IP20/Protected Chassis

Catalog Number	Normal Duty Output		Heavy Duty Output		Dimensions (in.)			Weight (lbs.) <sup>1</sup>	Drawing (By Frame #)	
	HP	Amps	HP	Amps	H	W	D		2D	3D
GA50U4001ABA	1/2	1.2	1/2	1.2	5.04	4.25	3.19	1.8	<a href="#">Fr 2.1</a>	<a href="#">Fr 2.1</a>
GA50U4002ABA	1	2.1	3/4	1.8			3.9	2	<a href="#">Fr 2.2</a>	<a href="#">Fr 2.2</a>
GA50U4004ABA	2	4.1	2	3.4			5.41	3.3	<a href="#">Fr 2.4</a>	<a href="#">Fr 2.4C</a>
GA50U4005ABA	3	5.4	3	4.8			6.06		<a href="#">Fr 2.5</a>	<a href="#">Fr 2.5B</a>
GA50U4007ABA	4	7.1	3	5.6					<a href="#">Fr 2.5</a>	<a href="#">Fr 2.5B</a>
GA50U4009ABA	5	8.9	4	7.3			10.24	5.51	5.63	4.4
GA50U4012ABA	7.5	11.9	5	9.2	5.51	6.6			<a href="#">Fr 5</a>	<a href="#">Fr 5A</a>
GA50U4018ABA	10	17.5	10	14.8	7.1	7.1			<a href="#">Fr 5</a>	<a href="#">Fr 5A</a>
GA50U4023ABA	15	23.4	10	18	11.81	7.09	5.63	10.2	<a href="#">Fr 6</a>	<a href="#">Fr 6B</a>
GA50U4031ABA	20	31	15	24			10.6	10.6	<a href="#">Fr 6</a>	<a href="#">Fr 6B</a>
GA50U4038ABA	25	38	20	31	13.78	7.48	8.03	14.3	<a href="#">Fr 8</a>	<a href="#">Fr 8</a>
GA50U4044ABA	30	44	25	39						
GA50U4060ABA	40	60	30	45						

1. This data represents the drive weight only, not shipping weight.

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## 480V, 3-Phase, IP20/UL Type 1

Catalog Number	Normal Duty Output		Heavy Duty Output		Dimensions (in.)			Weight (lbs.) <sup>1</sup>	Drawing (By Frame #)	
	HP	Amps	HP	Amps	H	W	D		2D	3D
GA50U4001ABA <sup>2</sup>	1/2	1.2	1/2	1.2	5.87	4.25	3.19	2.3	<a href="#">Fr 2.1</a>	<a href="#">Fr 2.1</a>
GA50U4002ABA <sup>2</sup>	1	2.1	3/4	1.8			3.9	2.5	<a href="#">Fr 2.2</a>	<a href="#">Fr 2.2</a>
GA50U4004ABA <sup>2</sup>	2	4.1	2	3.4			5.41	3.9	<a href="#">Fr 2.4C</a>	<a href="#">Fr 2.4C</a>
GA50U4005ABA <sup>2</sup>	3	5.4	3	4.8	7.01	4.25	6.06	4.4	<a href="#">Fr 2.5</a>	<a href="#">Fr 2.5B</a>
GA50U4007ABA <sup>2</sup>	4	7.1	3	5.6						
GA50U4009ABA <sup>2</sup>	5	8.9	4	7.3						
GA50U4012ABA <sup>2</sup>	7.5	11.9	5	9.2	11.73	5.51	5.63	5.5	<a href="#">Fr 3.1</a>	<a href="#">Fr 3.1</a>
GA50U4018ABA <sup>2</sup>	10	17.5	10	14.8			5.51	8	<a href="#">Fr 5</a>	<a href="#">Fr 5A</a>
GA50U4023ABA <sup>2</sup>	15	23.4	10	18			5.51	8.4		
GA50U4031ABA <sup>2</sup>	20	31	15	24	13.39	7.09	5.63	12.1	<a href="#">Fr 6</a>	<a href="#">Fr 6B</a>
GA50U4038ABA <sup>2</sup>	25	38	20	31			5.63	12.6		
GA50U4044ABA <sup>2</sup>	30	44	25	39	15.87	7.4 8	8.03	16.9	<a href="#">Fr 8</a>	<a href="#">Fr 8</a>
GA50U4060ABA <sup>2</sup>	40	60	30	45						

1. This data represents the drive weight only, not shipping weight.
2. Add-on kit(s) is required. Consult factory for add-on kit(s).

**Title:** GA500 Document Reference List

**Product(s):** GA500

**Doc. No.** PN.GA500.01

## 480V, 3-Phase, IP20/Protected Chassis w/EMC Filter

Catalog Number	Normal Duty Output		Heavy Duty Output		Dimensions (in.)			Weight (lbs.) <sup>1</sup>	Drawing (By Frame #)		
	HP	Amps	HP	Amps	H	W	D		2D	3D	
GA50U4001EBA	1/2	1.2	1/2	1.2	5.04	4.25	4.96	3.1	<a href="#">Fr 2.1</a>	<a href="#">Fr 2.1</a>	
GA50U4002EBA	1	2.1	3/4	1.8			5.67	3.3	<a href="#">Fr 2.2</a>	<a href="#">Fr 2.2</a>	
GA50U4004EBA	2	4.1	2	3.4			7.19	4.2	<a href="#">Fr 2.4</a>	<a href="#">Fr 2.4C</a>	
GA50U4005EBA	3	5.4	3	4.8			7.83		<a href="#">Fr 2.5</a>	<a href="#">Fr 2.5B</a>	
GA50U4007EBA	4	7.1	3	5.6				<a href="#">Fr 3.1</a>	<a href="#">Fr 3.1</a>		
GA50U4009EBA	5	8.9	4	7.3				10.24	5.51	7.60	5.7
GA50U4012EBA	7.5	11.9	5	9.2	7.72	8.6				<a href="#">Fr 5</a>	<a href="#">Fr 5A</a>
GA50U4018EBA	10	17.5	10	14.8	11.81	7.09	7.72	8.6	<a href="#">Fr 6</a>	<a href="#">Fr 6B</a>	
GA50U4023EBA	15	23.4	10	18			12.1	17.6	<a href="#">Fr 6</a>	<a href="#">Fr 6B</a>	
GA50U4031EBA	20	31	15	24	13.78	7.48	9.88	18.7	<a href="#">Fr 8</a>	<a href="#">Fr 8</a>	
GA50U4038EBA	25	38	20	31					<a href="#">Fr 8</a>	<a href="#">Fr 8</a>	
GA50U4044EBA	30	44	25	39							
GA50U4060EBA	40	60	30	45							

1. This data represents the drive weight only, not shipping weight.